

Name:TRUMPET Usr.Lbl:22 3D*Lbl:..45
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 4.0	8.0 in front H2
2	16	A 35 yds 4.0	8.0 in front H2
3	24	A 35 yds 4.0	8.0 in front H2
4	32	A 35 yds 4.0	8.0 in front H2
5	40	A 30 yds 6.0	14.0 in front H2
6	48	A 35 yds 2.0	9.50 in front H2
7	56	A 30 yds 6.0	14.0 in front H2
8	64	A 30 yds 6.0	5.0 in front H2
9	72	A 30 yds 6.0	4.0 behind H2
10	80	A 30 yds 0.0	10.0 behind H2
11	88	A 25 yds 2.0	4.0 behind H2
12	96	A 20 yds 4.0	12.0 behind H2
13	104	A 15 yds 4.0	6.0 behind H2
14	120	A 15 yds 4.0	10.0 in front H2
15	136	A 25 yds 0.0	8.0 behind H1
16	152	A 35 yds 0.0	12.0 behind H1
17	176	A 30 yds 6.0	5.25 behind H1
18	184	A 40 yds 0.0	2.0 in front H1
19	202	A 35 yds 4.0	5.0 in front H1
20	222	A 35 yds 0.0	0.0 behind H1
21	230	A 35 yds 4.0	2.0 behind H1
22	242	A 40 yds 0.0	9.75 behind H1

Name:TRUMPET Usr.Lbl:21 3D*Lbl:..47
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 4.0	4.0 in front H2
2	16	A 30 yds 4.0	4.0 in front H2
3	24	A 30 yds 4.0	4.0 in front H2
4	32	A 30 yds 4.0	4.0 in front H2
5	40	A 30 yds 4.0	12.0 in front H2
6	48	A 30 yds 7.0	6.0 in front H2
7	56	A 30 yds 4.0	12.0 in front H2
8	64	A 30 yds 3.0	3.75 in front H2
9	72	A 30 yds 3.0	4.25 behind H2
10	80	A 30 yds 0.0	8.50 behind H2
11	88	A 25 yds 4.0	4.25 behind H2
12	96	A 20 yds 6.0	12.0 behind H2
13	104	A 15 yds 6.0	7.50 behind H2
14	120	A 15 yds 6.0	10.0 in front H2
15	136	A 25 yds 2.0	7.75 behind H1
16	152	A 35 yds 2.0	11.75 behind H1
17	176	A 35 yds 4.0	9.25 behind H1
18	184	A 40 yds 4.0	0.0 behind H1
19	202	A 35 yds 6.0	4.0 in front H1
20	222	A 35 yds 2.0	1.0 behind H1
21	230	A 35 yds 4.0	4.0 behind H1
22	242	A 35 yds 6.0	10.50 behind H1

Name:TRUMPET Usr.Lbl:20 3D*Lbl:..64
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 2.0	6.0 in front H2
2	16	A 30 yds 2.0	6.0 in front H2
3	24	A 30 yds 2.0	6.0 in front H2
4	32	A 30 yds 2.0	6.0 in front H2
5	40	A 30 yds 2.0	14.0 in front H2
6	48	A 30 yds 3.0	9.50 in front H2
7	56	A 30 yds 2.0	14.0 in front H2
8	64	A 30 yds 1.0	4.75 in front H2
9	72	A 30 yds 1.0	4.50 behind H2
10	80	A 30 yds 0.0	7.0 behind H2
11	88	A 25 yds 7.0	4.50 behind H2
12	96	A 25 yds 0.0	12.25 behind H2
13	104	A 20 yds 0.0	8.50 behind H2
14	120	A 20 yds 0.0	10.0 in front H2
15	136	A 25 yds 4.0	7.25 behind H1
16	152	A 35 yds 4.0	11.50 behind H1
17	176	A 40 yds 3.0	11.25 behind H1
18	184	A 45 yds 0.0	2.0 behind H1
19	202	A 40 yds 0.0	3.0 in front H1
20	222	A 35 yds 4.0	2.0 behind H1
21	230	A 35 yds 4.0	6.0 behind H1
22	242	A 35 yds 4.0	10.75 behind H1

Name:TRUMPET Usr.Lbl:19 3D*Lbl:..49
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 0.0	4.0 in front H2
2	16	A 30 yds 0.0	4.0 in front H2
3	24	A 30 yds 0.0	4.0 in front H2
4	32	A 30 yds 0.0	4.0 in front H2
5	40	A 30 yds 0.0	12.0 in front H2
6	48	A 30 yds 0.0	6.0 in front H2
7	56	A 30 yds 0.0	12.0 in front H2
8	64	A 25 yds 7.0	3.75 in front H2
9	72	A 25 yds 6.0	4.25 behind H2
10	80	A 30 yds 0.0	5.50 behind H2
11	88	A 30 yds 1.0	4.25 behind H2
12	96	A 25 yds 3.0	11.75 behind H2
13	104	A 20 yds 2.0	9.25 behind H2
14	120	A 20 yds 2.0	10.25 in front H2
15	136	A 25 yds 6.0	6.75 behind H1
16	152	A 35 yds 6.0	10.75 behind H1
17	176	A 45 yds 2.0	12.0 behind H1
18	184	A 45 yds 4.0	4.0 behind H1
19	202	A 40 yds 2.0	2.0 in front H1
20	222	A 35 yds 6.0	3.0 behind H1
21	230	A 35 yds 4.0	8.0 behind H1
22	242	A 35 yds 1.0	10.50 behind H1

Name:TRUMPET Usr.Lbl:18 3D*Lbl:..62
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 6.0	6.0 in front H2
2	16	A 25 yds 6.0	6.0 in front H2
3	24	A 25 yds 6.0	6.0 in front H2
4	32	A 25 yds 6.0	6.0 in front H2
5	40	A 25 yds 6.0	14.0 in front H2
6	48	A 25 yds 4.0	9.50 in front H2
7	56	A 25 yds 6.0	14.0 in front H2
8	64	A 25 yds 5.0	5.25 in front H2
9	72	A 25 yds 4.0	3.75 behind H2
10	80	A 30 yds 0.0	4.0 behind H2
11	88	A 30 yds 4.0	3.75 behind H2
12	96	A 25 yds 5.0	11.50 behind H2
13	104	A 20 yds 5.0	9.50 behind H2
14	120	A 20 yds 4.0	10.75 in front H2
15	136	A 25 yds 7.0	6.25 behind H1
16	152	A 40 yds 0.0	9.50 behind H1
17	176	B 45 yds 6.0	10.75 behind H1
18	184	B 50 yds 0.0	6.0 behind H1
19	202	A 40 yds 4.0	1.0 in front H1
20	222	A 40 yds 0.0	4.0 behind H1
21	230	A 35 yds 4.0	10.0 behind H1
22	242	A 35 yds 0.0	9.75 behind H1

Name:TRUMPET Usr.Lbl:17 3D*Lbl:..51
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 4.0	4.0 in front H2
2	16	A 25 yds 4.0	4.0 in front H2
3	24	A 25 yds 4.0	4.0 in front H2
4	32	A 25 yds 4.0	4.0 in front H2
5	40	A 25 yds 4.0	12.0 in front H2
6	48	A 25 yds 1.0	6.0 in front H2
7	56	A 25 yds 4.0	12.0 in front H2
8	64	A 25 yds 3.0	4.75 in front H2
9	72	A 25 yds 2.0	2.25 behind H2
10	80	A 30 yds 0.0	2.50 behind H2
11	88	A 30 yds 6.0	2.25 behind H2
12	96	A 30 yds 0.0	10.75 behind H2
13	104	A 20 yds 7.0	9.75 behind H2
14	120	A 20 yds 6.0	11.0 in front H2
15	136	A 30 yds 1.0	5.75 behind H1
16	152	A 40 yds 1.0	8.25 behind H1
17	176	B 45 yds 3.0	9.75 behind H1
18	184	B 50 yds 0.0	10.0 behind H1
19	202	A 40 yds 4.0	1.0 behind H1
20	222	A 40 yds 0.0	6.0 behind H1
21	230	A 35 yds 4.0	12.0 behind H1
22	242	A 30 yds 6.0	8.25 behind H1

Name:TRUMPET Usr.Lbl:16 3D*Lbl:..60
File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	A 20 yds 4.0	8.0 in front H2
2	16	A 20 yds 4.0	8.0 in front H2
3	24	A 20 yds 4.0	8.0 in front H2
4	32	A 20 yds 4.0	8.0 in front H2
5	40	A 25 yds 2.0	14.0 in front H2
6	48	A 20 yds 5.0	9.50 in front H2
7	56	A 25 yds 2.0	14.0 in front H2
8	64	A 25 yds 1.0	6.75 in front H2
9	72	A 25 yds 0.0	0.25 behind H2
10	80	A 30 yds 0.0	1.0 behind H2
11	88	A 30 yds 7.0	0.25 behind H2
12	96	A 30 yds 2.0	9.75 behind H2
13	104	A 25 yds 2.0	9.25 behind H2
14	120	A 25 yds 0.0	11.75 in front H2
15	136	A 30 yds 3.0	4.75 behind H1
16	152	A 40 yds 3.0	6.75 behind H1
17	176	A 45 yds 6.0	11.75 behind H1
18	184	A 45 yds 4.0	8.0 behind H1
19	202	A 40 yds 2.0	0.0 behind H1
20	222	A 35 yds 6.0	5.0 behind H1
21	230	A 35 yds 0.0	12.0 behind H1
22	242	A 30 yds 5.0	6.50 behind H1

Name:TRUMPET Usr.Lbl:13 3D*Lbl:..53
File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	A 20 yds 4.0	12.0 in front H2
2	16	A 20 yds 4.0	12.0 in front H2
3	24	A 20 yds 4.0	12.0 in front H2
4	32	A 20 yds 4.0	12.0 in front H2
5	40	A 25 yds 2.0	10.0 behind H1
6	48	A 20 yds 5.0	11.50 behind H1
7	56	A 25 yds 2.0	10.0 behind H1
8	64	A 25 yds 2.0	11.75 in front H2
9	72	A 25 yds 3.0	5.75 in front H2
10	80	A 30 yds 0.0	3.50 in front H2
11	88	A 30 yds 4.0	5.75 in front H2
12	96	A 30 yds 5.0	3.50 behind H2
13	104	A 30 yds 0.0	5.75 behind H2
14	120	A 25 yds 5.0	13.75 in front H2
15	136	A 35 yds 0.0	2.0 behind H1
16	152	A 40 yds 5.0	1.25 behind H1
17	176	A 35 yds 1.0	7.50 behind H1
18	184	A 40 yds 0.0	2.0 behind H1
19	202	A 35 yds 4.0	3.0 in front H1
20	222	A 35 yds 0.0	2.0 behind H1
21	230	A 35 yds 0.0	6.0 behind H1
22	242	A 30 yds 6.0	0.50 behind H1

Name:TRUMPET Usr.Lbl:15 3D*Lbl:..54
File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	A 20 yds 2.0	10.0 in front H2
2	16	A 20 yds 2.0	10.0 in front H2
3	24	A 20 yds 2.0	10.0 in front H2
4	32	A 20 yds 2.0	10.0 in front H2
5	40	A 25 yds 0.0	12.0 behind H1
6	48	A 20 yds 2.0	13.0 in front H2
7	56	A 25 yds 0.0	12.0 behind H1
8	64	A 25 yds 0.0	9.25 in front H2
9	72	A 25 yds 0.0	2.25 in front H2
10	80	A 30 yds 0.0	0.50 in front H2
11	88	A 30 yds 7.0	2.25 in front H2
12	96	A 30 yds 4.0	8.0 behind H2
13	104	A 25 yds 4.0	8.50 behind H2
14	120	A 25 yds 2.0	12.25 in front H2
15	136	A 30 yds 5.0	3.75 behind H1
16	152	A 40 yds 4.0	5.0 behind H1
17	176	A 40 yds 6.0	11.75 behind H1
18	184	A 45 yds 0.0	6.0 behind H1
19	202	A 40 yds 0.0	1.0 in front H1
20	222	A 35 yds 4.0	4.0 behind H1
21	230	A 35 yds 0.0	10.0 behind H1
22	242	A 30 yds 5.0	4.50 behind H1

Name:TRUMPET Usr.Lbl:12 3D*Lbl:..52
File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	A 20 yds 6.0	10.0 in front H2
2	16	A 20 yds 6.0	10.0 in front H2
3	24	A 20 yds 6.0	10.0 in front H2
4	32	A 20 yds 6.0	10.0 in front H2
5	40	A 25 yds 4.0	12.0 behind H1
6	48	A 25 yds 1.0	13.0 in front H2
7	56	A 25 yds 4.0	12.0 behind H1
8	64	A 25 yds 5.0	11.25 in front H2
9	72	A 25 yds 6.0	6.50 in front H2
10	80	A 30 yds 0.0	5.0 in front H2
11	88	A 30 yds 1.0	6.50 in front H2
12	96	A 30 yds 3.0	1.25 behind H2
13	104	A 30 yds 2.0	4.25 behind H2
14	120	A 25 yds 7.0	13.25 behind H1
15	136	A 35 yds 2.0	0.75 behind H1
16	152	A 40 yds 6.0	1.0 in front H1
17	176	A 30 yds 4.0	2.75 behind H1
18	184	A 35 yds 4.0	0.0 behind H1
19	202	A 35 yds 2.0	4.0 in front H1
20	222	A 30 yds 6.0	1.0 behind H1
21	230	A 35 yds 0.0	4.0 behind H1
22	242	A 30 yds 7.0	1.25 in front H1

Name:TRUMPET Usr.Lbl:14 3D*Lbl:..65
File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	A 20 yds 0.0	12.0 in front H2
2	16	A 20 yds 0.0	12.0 in front H2
3	24	A 20 yds 0.0	12.0 in front H2
4	32	A 20 yds 0.0	12.0 in front H2
5	40	A 20 yds 6.0	10.0 behind H1
6	48	A 15 yds 6.0	11.50 behind H1
7	56	A 20 yds 6.0	10.0 behind H1
8	64	A 20 yds 7.0	11.25 in front H2
9	72	A 25 yds 1.0	4.25 in front H2
10	80	A 30 yds 0.0	2.0 in front H2
11	88	A 30 yds 6.0	4.25 in front H2
12	96	A 30 yds 5.0	5.75 behind H2
13	104	A 25 yds 6.0	7.50 behind H2
14	120	A 25 yds 4.0	13.0 in front H2
15	136	A 30 yds 7.0	3.0 behind H1
16	152	A 40 yds 5.0	3.25 behind H1
17	176	A 40 yds 0.0	10.50 behind H1
18	184	A 40 yds 4.0	4.0 behind H1
19	202	A 35 yds 6.0	2.0 in front H1
20	222	A 35 yds 2.0	3.0 behind H1
21	230	A 35 yds 0.0	8.0 behind H1
22	242	A 30 yds 5.0	2.50 behind H1

Name:TRUMPET Usr.Lbl:11 3D*Lbl:..55
File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 0.0	12.0 in front H2
2	16	A 25 yds 0.0	12.0 in front H2
3	24	A 25 yds 0.0	12.0 in front H2
4	32	A 25 yds 0.0	12.0 in front H2
5	40	A 25 yds 6.0	10.0 behind H1
6	48	A 25 yds 4.0	11.50 behind H1
7	56	A 25 yds 6.0	10.0 behind H1
8	64	A 25 yds 7.0	12.50 in front H2
9	72	A 30 yds 0.0	6.75 in front H2
10	80	A 30 yds 0.0	6.50 in front H2
11	88	A 25 yds 7.0	6.75 in front H2
12	96	A 30 yds 2.0	0.75 in front H2
13	104	A 30 yds 4.0	2.25 behind H2
14	120	A 30 yds 1.0	12.0 behind H1
15	136	A 35 yds 4.0	0.50 in front H1
16	152	A 40 yds 6.0	3.0 in front H1
17	176	A 30 yds 4.0	0.50 in front H1
18	184	A 30 yds 4.0	4.0 in front H1
19	202	A 30 yds 6.0	6.0 in front H1
20	222	A 30 yds 2.0	1.0 in front H1
21	230	A 35 yds 0.0	0.0 behind H1
22	242	A 35 yds 2.0	3.75 in front H1

Name:TRUMPET Usr.Lbl:10 3D*Lbl:..50
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 0.0	8.0 in front H2
2	16	A 30 yds 0.0	8.0 in front H2
3	24	A 30 yds 0.0	8.0 in front H2
4	32	A 30 yds 0.0	8.0 in front H2
5	40	A 30 yds 0.0	12.0 behind H1
6	48	A 30 yds 0.0	13.0 in front H2
7	56	A 30 yds 0.0	12.0 behind H1
8	64	A 30 yds 1.0	11.75 in front H2
9	72	A 30 yds 3.0	7.25 in front H2
10	80	A 30 yds 0.0	8.0 in front H2
11	88	A 25 yds 4.0	7.25 in front H2
12	96	A 30 yds 0.0	2.50 in front H2
13	104	A 30 yds 5.0	0.0 in front H2
14	120	A 30 yds 2.0	10.75 behind H1
15	136	A 35 yds 5.0	1.75 in front H1
16	152	A 40 yds 5.0	5.0 in front H1
17	176	A 30 yds 6.0	1.0 in front H1
18	184	A 35 yds 0.0	2.0 in front H1
19	202	A 35 yds 0.0	5.0 in front H1
20	222	A 30 yds 4.0	0.0 behind H1
21	230	A 35 yds 0.0	2.0 behind H1
22	242	A 35 yds 0.0	2.75 in front H1

Name:TRUMPET Usr.Lbl:7 3D*Lbl:..58
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 4.0	12.0 in front H2
2	16	A 35 yds 4.0	12.0 in front H2
3	24	A 35 yds 4.0	12.0 in front H2
4	32	A 35 yds 4.0	12.0 in front H2
5	40	A 30 yds 6.0	10.0 behind H1
6	48	A 35 yds 2.0	11.50 behind H1
7	56	A 30 yds 6.0	10.0 behind H1
8	64	A 30 yds 7.0	13.50 behind H1
9	72	A 35 yds 1.0	10.75 in front H2
10	80	A 30 yds 0.0	12.50 in front H2
11	88	A 20 yds 6.0	10.75 in front H2
12	96	A 25 yds 3.0	7.75 in front H2
13	104	A 30 yds 6.0	7.50 in front H2
14	120	A 30 yds 7.0	6.50 behind H1
15	136	A 40 yds 1.0	5.75 in front H1
16	152	A 40 yds 3.0	10.75 in front H1
17	176	A 35 yds 3.0	4.0 in front H1
18	184	A 35 yds 4.0	8.0 in front H1
19	202	A 35 yds 2.0	8.0 in front H1
20	222	A 30 yds 6.0	3.0 in front H1
21	230	A 35 yds 0.0	4.0 in front H1
22	242	A 35 yds 6.0	5.75 in front H1

Name:TRUMPET Usr.Lbl:9 3D*Lbl:..57
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 0.0	12.0 in front H2
2	16	A 35 yds 0.0	12.0 in front H2
3	24	A 35 yds 0.0	12.0 in front H2
4	32	A 35 yds 0.0	12.0 in front H2
5	40	A 30 yds 2.0	10.0 behind H1
6	48	A 30 yds 3.0	11.50 behind H1
7	56	A 30 yds 2.0	10.0 behind H1
8	64	A 30 yds 3.0	13.0 in front H2
9	72	A 30 yds 5.0	8.0 in front H2
10	80	A 30 yds 0.0	9.50 in front H2
11	88	A 25 yds 2.0	8.0 in front H2
12	96	A 25 yds 6.0	4.0 in front H2
13	104	A 30 yds 6.0	2.50 in front H2
14	120	A 30 yds 4.0	9.50 behind H1
15	136	A 35 yds 7.0	3.0 in front H1
16	152	A 40 yds 5.0	7.0 in front H1
17	176	A 35 yds 0.0	1.75 in front H1
18	184	A 35 yds 0.0	6.0 in front H1
19	202	A 35 yds 0.0	7.0 in front H1
20	222	A 30 yds 4.0	2.0 in front H1
21	230	A 35 yds 0.0	2.0 in front H1
22	242	A 35 yds 4.0	4.75 in front H1

Name:TRUMPET Usr.Lbl:6 3D*Lbl:..46
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 6.0	10.0 in front H2
2	16	A 35 yds 6.0	10.0 in front H2
3	24	A 35 yds 6.0	10.0 in front H2
4	32	A 35 yds 6.0	10.0 in front H2
5	40	A 35 yds 0.0	12.0 behind H1
6	48	A 35 yds 6.0	13.0 in front H2
7	56	A 35 yds 0.0	12.0 behind H1
8	64	A 35 yds 1.0	13.25 behind H1
9	72	A 35 yds 2.0	13.50 in front H2
10	80	A 30 yds 0.0	14.0 in front H2
11	88	A 20 yds 6.0	13.50 in front H2
12	96	A 25 yds 2.0	9.75 in front H2
13	104	A 30 yds 6.0	9.75 in front H2
14	120	A 35 yds 0.0	4.75 behind H1
15	136	A 40 yds 2.0	7.50 in front H1
16	152	A 40 yds 1.0	12.25 in front H1
17	176	A 35 yds 5.0	5.25 in front H1
18	184	A 40 yds 0.0	6.0 in front H1
19	202	A 35 yds 4.0	7.0 in front H1
20	222	A 35 yds 0.0	2.0 in front H1
21	230	A 35 yds 4.0	2.0 in front H1
22	242	A 40 yds 3.0	7.25 behind H1

Name:TRUMPET Usr.Lbl:8 3D*Lbl:..48
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 2.0	10.0 in front H2
2	16	A 35 yds 2.0	10.0 in front H2
3	24	A 35 yds 2.0	10.0 in front H2
4	32	A 35 yds 2.0	10.0 in front H2
5	40	A 30 yds 4.0	12.0 behind H1
6	48	A 30 yds 7.0	13.0 in front H2
7	56	A 30 yds 4.0	12.0 behind H1
8	64	A 30 yds 5.0	12.50 in front H2
9	72	A 30 yds 7.0	9.25 in front H2
10	80	A 30 yds 0.0	11.0 in front H2
11	88	A 25 yds 0.0	9.25 in front H2
12	96	A 25 yds 5.0	5.75 in front H2
13	104	A 30 yds 6.0	4.75 in front H2
14	120	A 30 yds 5.0	8.0 behind H1
15	136	A 40 yds 0.0	4.50 in front H1
16	152	A 40 yds 4.0	8.75 in front H1
17	176	A 35 yds 2.0	2.75 in front H1
18	184	A 35 yds 4.0	4.0 in front H1
19	202	A 35 yds 2.0	6.0 in front H1
20	222	A 30 yds 6.0	1.0 in front H1
21	230	A 35 yds 4.0	0.0 behind H1
22	242	A 40 yds 1.0	8.50 behind H1

Name:TRUMPET Usr.Lbl:5 3D*Lbl:..56
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 40 yds 0.0	12.0 in front H2
2	16	A 40 yds 0.0	12.0 in front H2
3	24	A 40 yds 0.0	12.0 in front H2
4	32	A 40 yds 0.0	12.0 in front H2
5	40	A 35 yds 2.0	10.0 behind H1
6	48	A 40 yds 1.0	11.50 behind H1
7	56	A 35 yds 2.0	10.0 behind H1
8	64	A 35 yds 1.0	11.25 behind H1
9	72	A 35 yds 0.0	12.75 behind H1
10	80	A 30 yds 0.0	12.50 behind H1
11	88	A 20 yds 7.0	12.75 behind H1
12	96	A 25 yds 2.0	12.25 in front H2
13	104	A 30 yds 5.0	12.25 in front H2
14	120	A 35 yds 1.0	3.25 behind H1
15	136	A 40 yds 4.0	9.0 in front H1
16	152	A 40 yds 0.0	13.50 in front H1
17	176	A 35 yds 7.0	6.75 in front H1
18	184	A 40 yds 0.0	10.0 in front H1
19	202	A 35 yds 4.0	9.0 in front H1
20	222	A 35 yds 0.0	4.0 in front H1
21	230	A 35 yds 0.0	6.0 in front H1
22	242	A 40 yds 0.0	6.50 in front H1

Name:TRUMPET Usr.Lbl:4 3D*Lbl:..63

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 6.0	2.0 behind H1
2	16	A 30 yds 6.0	2.0 behind H1
3	24	A 30 yds 6.0	2.0 behind H1
4	32	A 30 yds 6.0	2.0 behind H1
5	40	A 35 yds 4.0	8.0 behind H1
6	48	A 40 yds 5.0	8.0 behind H1
7	56	A 35 yds 4.0	8.0 behind H1
8	64	A 35 yds 1.0	9.50 behind H1
9	72	A 30 yds 6.0	11.25 behind H1
10	80	A 30 yds 0.0	11.0 behind H1
11	88	A 25 yds 1.0	11.25 behind H1
12	96	A 25 yds 3.0	13.50 behind H1
13	104	A 30 yds 4.0	13.50 behind H1
14	120	A 35 yds 2.0	1.50 behind H1
15	136	A 40 yds 5.0	10.75 in front H1
16	152	A 35 yds 6.0	13.50 behind Front
17	176	A 40 yds 0.0	8.50 in front H1
18	184	A 40 yds 4.0	8.0 in front H1
19	202	A 35 yds 6.0	8.0 in front H1
20	222	A 35 yds 2.0	3.0 in front H1
21	230	A 35 yds 4.0	4.0 in front H1
22	242	A 40 yds 4.0	5.50 behind H1

Name:TRUMPET Usr.Lbl:3 3D*Lbl:..61

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 4.0	4.0 behind H1
2	16	A 30 yds 4.0	4.0 behind H1
3	24	A 30 yds 4.0	4.0 behind H1
4	32	A 30 yds 4.0	4.0 behind H1
5	40	A 35 yds 0.0	8.0 behind H1
6	48	A 35 yds 6.0	8.0 behind H1
7	56	A 35 yds 0.0	8.0 behind H1
8	64	A 30 yds 6.0	9.0 behind H1
9	72	A 30 yds 4.0	10.0 behind H1
10	80	A 30 yds 0.0	9.50 behind H1
11	88	A 25 yds 3.0	10.0 behind H1
12	96	A 25 yds 4.0	11.50 behind H1
13	104	A 30 yds 3.0	11.50 behind H1
14	120	A 35 yds 3.0	0.50 in front H1
15	136	A 40 yds 6.0	12.50 in front H1
16	152	A 35 yds 4.0	12.75 behind Front
17	176	A 40 yds 1.0	10.25 in front H1
18	184	A 40 yds 4.0	12.0 in front H1
19	202	A 35 yds 6.0	10.0 in front H1
20	222	A 35 yds 2.0	5.0 in front H1
21	230	A 35 yds 0.0	8.0 in front H1
22	242	A 40 yds 2.0	7.25 in front H1

Name:TRUMPET Usr.Lbl:2 3D*Lbl:..59

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 2.0	6.0 behind H1
2	16	A 30 yds 2.0	6.0 behind H1
3	24	A 30 yds 2.0	6.0 behind H1
4	32	A 30 yds 2.0	6.0 behind H1
5	40	A 30 yds 4.0	8.0 behind H1
6	48	A 30 yds 7.0	8.0 behind H1
7	56	A 30 yds 4.0	8.0 behind H1
8	64	A 30 yds 3.0	8.50 behind H1
9	72	A 30 yds 2.0	9.0 behind H1
10	80	A 30 yds 0.0	8.0 behind H1
11	88	A 25 yds 5.0	9.0 behind H1
12	96	A 25 yds 6.0	9.75 behind H1
13	104	A 30 yds 1.0	9.75 behind H1
14	120	A 35 yds 4.0	2.25 in front H1
15	136	A 40 yds 7.0	13.75 behind Front
16	152	A 35 yds 2.0	12.25 behind Front
17	176	A 40 yds 2.0	12.25 in front H1
18	184	A 45 yds 0.0	10.0 in front H1
19	202	A 40 yds 0.0	9.0 in front H1
20	222	A 35 yds 4.0	4.0 in front H1
21	230	A 35 yds 4.0	6.0 in front H1
22	242	A 40 yds 5.0	3.75 behind H1

Name:TRUMPET Usr.Lbl:1 3D*Lbl:..66

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 0.0	8.0 behind H1
2	16	A 30 yds 0.0	8.0 behind H1
3	24	A 30 yds 0.0	8.0 behind H1
4	32	A 30 yds 0.0	8.0 behind H1
5	40	A 30 yds 0.0	8.0 behind H1
6	48	A 30 yds 0.0	8.0 behind H1
7	56	A 30 yds 0.0	8.0 behind H1
8	64	A 30 yds 0.0	8.0 behind H1
9	72	A 30 yds 0.0	8.0 behind H1
10	80	A 30 yds 0.0	6.50 behind H1
11	88	A 30 yds 0.0	8.0 behind H1
12	96	A 30 yds 0.0	8.0 behind H1
13	104	A 30 yds 0.0	8.0 behind H1
14	120	A 35 yds 5.0	4.0 in front H1
15	136	A 45 yds 0.0	12.0 behind Front
16	152	A 35 yds 0.0	12.0 behind Front
17	176	A 40 yds 3.0	14.0 in front H1
18	184	A 45 yds 0.0	14.0 in front H1
19	202	A 40 yds 0.0	11.0 in front H1
20	222	A 35 yds 4.0	6.0 in front H1
21	230	A 35 yds 4.0	8.0 in front H1
22	242	A 40 yds 7.0	2.0 behind H1

Name:ALTO SAX Usr.Lbl:11 3D*Lbl:..99

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 6.0	10.0 behind H1
2	16	A 25 yds 6.0	10.0 behind H1
3	24	A 25 yds 6.0	10.0 behind H1
4	32	A 25 yds 6.0	10.0 behind H1
5	40	A 25 yds 4.0	8.0 behind H1
6	48	A 25 yds 1.0	8.0 behind H1
7	56	A 25 yds 4.0	8.0 behind H1
8	64	A 25 yds 4.0	7.50 behind H1
9	72	A 25 yds 5.0	7.0 behind H1
10	80	A 30 yds 0.0	5.0 behind H1
11	88	A 30 yds 2.0	7.0 behind H1
12	96	A 30 yds 1.0	6.50 behind H1
13	104	A 25 yds 6.0	6.50 behind H1
14	120	A 35 yds 2.0	6.75 in front H1
15	136	A 40 yds 6.0	10.50 behind Front
16	152	A 30 yds 6.0	12.25 behind Front
17	176	A 20 yds 0.0	12.0 behind Front
18	184	A 15 yds 4.0	12.0 behind Front
19	202	A 25 yds 2.0	12.0 in front H1
20	222	A 25 yds 4.0	4.0 in front H1
21	230	A 20 yds 4.0	0.0 behind H1
22	242	A 15 yds 7.0	3.75 in front H1

Name:HORN Usr.Lbl:1 3D*Lbl:..98

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 4.0	12.0 behind H1
2	16	A 25 yds 4.0	12.0 behind H1
3	24	A 25 yds 4.0	12.0 behind H1
4	32	A 25 yds 4.0	12.0 behind H1
5	40	A 25 yds 0.0	8.0 behind H1
6	48	A 20 yds 2.0	8.0 behind H1
7	56	A 25 yds 0.0	8.0 behind H1
8	64	A 25 yds 1.0	7.0 behind H1
9	72	A 25 yds 3.0	6.0 behind H1
10	80	A 30 yds 0.0	3.50 behind H1
11	88	A 30 yds 4.0	6.0 behind H1
12	96	A 30 yds 3.0	4.75 behind H1
13	104	A 25 yds 4.0	4.50 behind H1
14	120	A 30 yds 6.0	7.75 in front H1
15	136	A 40 yds 3.0	9.25 behind Front
16	152	A 30 yds 4.0	12.75 behind Front
17	176	A 40 yds 1.0	11.75 behind Front
18	184	A 40 yds 4.0	8.0 behind Front
19	202	A 35 yds 6.0	14.0 in front H1
20	222	A 40 yds 0.0	10.0 behind Front
21	230	A 35 yds 0.0	14.0 in front H1
22	242	A 25 yds 6.0	13.50 in front H1

Name:ALTO SAX Usr.Lbl:4 3DMLbl:..91
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 2.0	14.0 in front H2
2	16	A 25 yds 2.0	14.0 in front H2
3	24	A 25 yds 2.0	14.0 in front H2
4	32	A 25 yds 2.0	14.0 in front H2
5	40	A 20 yds 4.0	8.0 behind H1
6	48	A 15 yds 3.0	8.0 behind H1
7	56	A 20 yds 4.0	8.0 behind H1
8	64	A 20 yds 6.0	6.50 behind H1
9	72	A 25 yds 1.0	4.75 behind H1
10	80	A 30 yds 0.0	2.0 behind H1
11	88	A 30 yds 6.0	4.75 behind H1
12	96	A 30 yds 5.0	2.75 behind H1
13	104	A 25 yds 3.0	2.50 behind H1
14	120	A 30 yds 2.0	9.25 in front H1
15	136	A 40 yds 1.0	8.25 behind Front
16	152	A 30 yds 2.0	13.25 behind Front
17	176	A 20 yds 0.0	13.75 in front H1
18	184	A 20 yds 0.0	10.0 behind Front
19	202	A 25 yds 4.0	13.0 in front H1
20	222	A 25 yds 6.0	9.0 in front H1
21	230	A 20 yds 6.0	5.0 in front H1
22	242	A 15 yds 5.0	6.25 in front H1

Name:HORN Usr.Lbl:3 3DMLbl:..104
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 20 yds 4.0	0.0 behind H1
2	16	A 20 yds 4.0	0.0 behind H1
3	24	A 20 yds 4.0	0.0 behind H1
4	32	A 20 yds 4.0	0.0 behind H1
5	40	A 25 yds 2.0	6.0 behind H1
6	48	A 20 yds 5.0	4.50 behind H1
7	56	A 25 yds 2.0	6.0 behind H1
8	64	A 25 yds 0.0	2.50 behind H1
9	72	A 20 yds 6.0	1.25 in front H1
10	80	A 30 yds 0.0	2.50 in front H1
11	88	A 35 yds 1.0	1.25 in front H1
12	96	A 30 yds 4.0	4.50 in front H1
13	104	A 25 yds 1.0	4.75 in front H1
14	120	A 25 yds 0.0	12.75 behind Front
15	136	A 35 yds 2.0	7.0 behind Front
16	152	A 25 yds 5.0	11.25 in front H1
17	176	A 35 yds 4.0	12.75 behind Front
18	184	A 40 yds 0.0	10.0 behind Front
19	202	A 35 yds 4.0	13.0 in front H1
20	222	A 35 yds 6.0	11.0 behind Front
21	230	A 30 yds 6.0	13.0 in front H1
22	242	A 25 yds 3.0	13.75 behind Front

Name:HORN Usr.Lbl:2 3DMLbl:..88
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 20 yds 0.0	0.0 behind H1
2	16	A 20 yds 0.0	0.0 behind H1
3	24	A 20 yds 0.0	0.0 behind H1
4	32	A 20 yds 0.0	0.0 behind H1
5	40	A 20 yds 6.0	6.0 behind H1
6	48	A 15 yds 6.0	4.50 behind H1
7	56	A 20 yds 6.0	6.0 behind H1
8	64	A 20 yds 6.0	4.75 behind H1
9	72	A 20 yds 7.0	3.50 behind H1
10	80	A 30 yds 0.0	0.50 behind H1
11	88	A 35 yds 0.0	3.50 behind H1
12	96	A 30 yds 6.0	0.25 behind H1
13	104	A 25 yds 2.0	0.25 behind H1
14	120	A 25 yds 7.0	11.0 in front H1
15	136	A 35 yds 7.0	7.50 behind Front
16	152	A 30 yds 0.0	13.75 in front H1
17	176	A 35 yds 7.0	12.25 behind Front
18	184	A 40 yds 4.0	12.0 behind Front
19	202	A 35 yds 6.0	12.0 in front H1
20	222	A 40 yds 0.0	14.0 in front H1
21	230	A 35 yds 0.0	10.0 in front H1
22	242	A 30 yds 0.0	11.75 in front H1

Name:ALTO SAX Usr.Lbl:3 3DMLbl:..90
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 20 yds 6.0	2.0 in front H1
2	16	A 20 yds 6.0	2.0 in front H1
3	24	A 20 yds 6.0	2.0 in front H1
4	32	A 20 yds 6.0	2.0 in front H1
5	40	A 25 yds 4.0	4.0 behind H1
6	48	A 25 yds 1.0	1.0 behind H1
7	56	A 25 yds 4.0	4.0 behind H1
8	64	A 25 yds 2.0	0.50 behind H1
9	72	A 25 yds 0.0	2.75 in front H1
10	80	A 30 yds 0.0	4.0 in front H1
11	88	A 30 yds 7.0	2.75 in front H1
12	96	A 30 yds 3.0	6.25 in front H1
13	104	A 25 yds 1.0	7.25 in front H1
14	120	A 20 yds 5.0	10.50 behind Front
15	136	A 30 yds 7.0	7.25 behind Front
16	152	A 25 yds 4.0	9.75 in front H1
17	176	A 20 yds 3.0	9.25 in front H1
18	184	A 20 yds 4.0	12.0 behind Front
19	202	A 25 yds 6.0	12.0 in front H1
20	222	A 30 yds 0.0	10.0 in front H1
21	230	A 25 yds 0.0	6.0 in front H1
22	242	A 15 yds 4.0	8.75 in front H1

Name:ALTO SAX Usr.Lbl:13 3DMLbl:..101
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 20 yds 2.0	2.0 in front H1
2	16	A 20 yds 2.0	2.0 in front H1
3	24	A 20 yds 2.0	2.0 in front H1
4	32	A 20 yds 2.0	2.0 in front H1
5	40	A 25 yds 0.0	4.0 behind H1
6	48	A 20 yds 2.0	1.0 behind H1
7	56	A 25 yds 0.0	4.0 behind H1
8	64	A 20 yds 7.0	2.75 behind H1
9	72	A 20 yds 6.0	1.50 behind H1
10	80	A 30 yds 0.0	1.0 in front H1
11	88	A 35 yds 2.0	1.50 behind H1
12	96	A 30 yds 5.0	2.25 in front H1
13	104	A 25 yds 1.0	2.25 in front H1
14	120	A 25 yds 3.0	12.75 in front H1
15	136	A 35 yds 4.0	7.25 behind Front
16	152	A 25 yds 6.0	12.50 in front H1
17	176	A 20 yds 1.0	11.50 in front H1
18	184	A 20 yds 0.0	14.0 in front H1
19	202	A 25 yds 4.0	11.0 in front H1
20	222	A 25 yds 6.0	5.0 in front H1
21	230	A 20 yds 6.0	1.0 in front H1
22	242	A 20 yds 1.0	1.75 in front H1

Name:HORN Usr.Lbl:4 3DMLbl:..105
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 0.0	0.0 behind H1
2	16	A 25 yds 0.0	0.0 behind H1
3	24	A 25 yds 0.0	0.0 behind H1
4	32	A 25 yds 0.0	0.0 behind H1
5	40	A 25 yds 6.0	6.0 behind H1
6	48	A 25 yds 4.0	4.50 behind H1
7	56	A 25 yds 6.0	6.0 behind H1
8	64	A 25 yds 4.0	1.0 behind H1
9	72	A 25 yds 2.0	4.0 in front H1
10	80	A 30 yds 0.0	5.50 in front H1
11	88	A 30 yds 5.0	4.0 in front H1
12	96	A 30 yds 1.0	8.0 in front H1
13	104	A 25 yds 1.0	9.75 in front H1
14	120	A 20 yds 2.0	7.75 behind Front
15	136	A 30 yds 5.0	7.75 behind Front
16	152	A 25 yds 3.0	7.75 in front H1
17	176	A 35 yds 2.0	13.75 behind Front
18	184	A 40 yds 0.0	14.0 in front H1
19	202	A 35 yds 4.0	11.0 in front H1
20	222	A 35 yds 6.0	13.0 in front H1
21	230	A 30 yds 6.0	9.0 in front H1
22	242	A 30 yds 1.0	9.25 in front H1

Name:ALTO SAX Usr.Lbl:14 3D*Lbl:..102
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 0.0	4.0 in front H1
2	16	A 30 yds 0.0	4.0 in front H1
3	24	A 30 yds 0.0	4.0 in front H1
4	32	A 30 yds 0.0	4.0 in front H1
5	40	A 30 yds 0.0	4.0 behind H1
6	48	A 30 yds 0.0	1.0 behind H1
7	56	A 30 yds 0.0	4.0 behind H1
8	64	A 25 yds 6.0	0.50 in front H1
9	72	A 25 yds 4.0	4.75 in front H1
10	80	A 30 yds 0.0	7.0 in front H1
11	88	A 30 yds 3.0	4.75 in front H1
12	96	A 25 yds 7.0	9.75 in front H1
13	104	A 25 yds 2.0	12.0 in front H1
14	120	A 15 yds 7.0	4.75 behind Front
15	136	A 30 yds 2.0	8.75 behind Front
16	152	A 25 yds 2.0	5.75 in front H1
17	176	A 20 yds 4.0	7.25 in front H1
18	184	A 20 yds 4.0	12.0 in front H1
19	202	A 25 yds 6.0	10.0 in front H1
20	222	A 30 yds 0.0	6.0 in front H1
21	230	A 25 yds 0.0	2.0 in front H1
22	242	A 20 yds 4.0	0.50 in front H1

Name:HORN Usr.Lbl:6 3D*Lbl:..107
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 4.0	0.0 behind H1
2	16	A 35 yds 4.0	0.0 behind H1
3	24	A 35 yds 4.0	0.0 behind H1
4	32	A 35 yds 4.0	0.0 behind H1
5	40	A 30 yds 6.0	6.0 behind H1
6	48	A 35 yds 2.0	4.50 behind H1
7	56	A 30 yds 6.0	6.0 behind H1
8	64	A 30 yds 5.0	0.25 in front H1
9	72	A 30 yds 4.0	6.50 in front H1
10	80	A 30 yds 0.0	11.50 in front H1
11	88	A 25 yds 3.0	6.50 in front H1
12	96	A 25 yds 3.0	12.75 behind Front
13	104	A 25 yds 7.0	10.25 behind Front
14	120	A 15 yds 6.0	3.25 behind Front
15	136	A 25 yds 4.0	12.75 behind Front
16	152	A 25 yds 2.0	0.0 behind H1
17	176	A 30 yds 6.0	11.25 in front H1
18	184	A 35 yds 4.0	12.0 in front H1
19	202	A 35 yds 2.0	10.0 in front H1
20	222	A 35 yds 4.0	12.0 in front H1
21	230	A 30 yds 4.0	8.0 in front H1
22	242	A 30 yds 2.0	6.25 in front H1

Name:HORN Usr.Lbl:5 3D*Lbl:..106
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 0.0	0.0 behind H1
2	16	A 35 yds 0.0	0.0 behind H1
3	24	A 35 yds 0.0	0.0 behind H1
4	32	A 35 yds 0.0	0.0 behind H1
5	40	A 30 yds 2.0	6.0 behind H1
6	48	A 30 yds 3.0	4.50 behind H1
7	56	A 30 yds 2.0	6.0 behind H1
8	64	A 30 yds 0.0	0.50 behind H1
9	72	A 25 yds 7.0	5.25 in front H1
10	80	A 30 yds 0.0	8.50 in front H1
11	88	A 30 yds 0.0	5.25 in front H1
12	96	A 25 yds 5.0	11.50 in front H1
13	104	A 25 yds 3.0	13.75 behind Front
14	120	A 15 yds 5.0	1.75 behind Front
15	136	A 30 yds 0.0	9.75 behind Front
16	152	A 25 yds 2.0	4.0 in front H1
17	176	A 35 yds 0.0	13.0 in front H1
18	184	A 35 yds 4.0	12.0 behind Front
19	202	A 35 yds 2.0	12.0 in front H1
20	222	A 35 yds 4.0	12.0 behind Front
21	230	A 30 yds 4.0	12.0 in front H1
22	242	A 25 yds 0.0	13.75 in front H1

Name:ALTO SAX Usr.Lbl:1 3D*Lbl:..87
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 40 yds 0.0	0.0 behind H1
2	16	A 40 yds 0.0	0.0 behind H1
3	24	A 40 yds 0.0	0.0 behind H1
4	32	A 40 yds 0.0	0.0 behind H1
5	40	A 35 yds 2.0	6.0 behind H1
6	48	A 40 yds 1.0	4.50 behind H1
7	56	A 35 yds 2.0	6.0 behind H1
8	64	A 35 yds 0.0	0.75 in front H1
9	72	A 30 yds 6.0	7.75 in front H1
10	80	A 30 yds 0.0	13.0 in front H1
11	88	A 25 yds 1.0	7.75 in front H1
12	96	A 25 yds 2.0	10.25 behind Front
13	104	A 30 yds 1.0	8.75 behind Front
14	120	A 20 yds 0.0	6.25 behind Front
15	136	A 25 yds 2.0	13.50 in front H1
16	152	A 25 yds 2.0	2.0 behind H1
17	176	A 25 yds 0.0	3.75 in front H1
18	184	A 25 yds 0.0	10.0 in front H1
19	202	A 30 yds 0.0	9.0 in front H1
20	222	A 30 yds 2.0	7.0 in front H1
21	230	A 25 yds 2.0	3.0 in front H1
22	242	A 20 yds 7.0	0.50 behind H1

Name:ALTO SAX Usr.Lbl:15 3D*Lbl:..103
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 2.0	2.0 in front H1
2	16	A 35 yds 2.0	2.0 in front H1
3	24	A 35 yds 2.0	2.0 in front H1
4	32	A 35 yds 2.0	2.0 in front H1
5	40	A 30 yds 4.0	4.0 behind H1
6	48	A 30 yds 7.0	1.0 behind H1
7	56	A 30 yds 4.0	4.0 behind H1
8	64	A 30 yds 2.0	0.75 in front H1
9	72	A 30 yds 1.0	5.50 in front H1
10	80	A 30 yds 0.0	10.0 in front H1
11	88	A 25 yds 6.0	5.50 in front H1
12	96	A 25 yds 4.0	13.25 in front H1
13	104	A 25 yds 5.0	11.75 behind Front
14	120	A 15 yds 4.0	0.0 in front Front
15	136	A 25 yds 6.0	11.0 behind Front
16	152	A 25 yds 2.0	2.0 in front H1
17	176	A 20 yds 6.0	5.50 in front H1
18	184	A 25 yds 0.0	14.0 in front H1
19	202	A 30 yds 0.0	11.0 in front H1
20	222	A 30 yds 2.0	11.0 in front H1
21	230	A 25 yds 2.0	7.0 in front H1
22	242	A 15 yds 4.0	11.75 in front H1

Name:ALTO SAX Usr.Lbl:2 3D*Lbl:..89
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 6.0	2.0 in front H1
2	16	A 35 yds 6.0	2.0 in front H1
3	24	A 35 yds 6.0	2.0 in front H1
4	32	A 35 yds 6.0	2.0 in front H1
5	40	A 35 yds 0.0	4.0 behind H1
6	48	A 35 yds 6.0	1.0 behind H1
7	56	A 35 yds 0.0	4.0 behind H1
8	64	A 30 yds 7.0	2.75 in front H1
9	72	A 30 yds 7.0	9.75 in front H1
10	80	A 30 yds 0.0	13.50 behind Front
11	88	A 25 yds 0.0	9.75 in front H1
12	96	A 25 yds 3.0	8.0 behind Front
13	104	A 30 yds 3.0	7.75 behind Front
14	120	A 20 yds 3.0	9.25 behind Front
15	136	A 25 yds 1.0	11.50 in front H1
16	152	A 25 yds 3.0	3.75 behind H1
17	176	A 30 yds 5.0	9.50 in front H1
18	184	A 35 yds 0.0	14.0 in front H1
19	202	A 35 yds 0.0	11.0 in front H1
20	222	A 35 yds 2.0	13.0 behind Front
21	230	A 30 yds 2.0	11.0 in front H1
22	242	A 20 yds 3.0	7.25 behind Front

Name:ALTO SAX Usr.Lbl:12 3D*Lbl:..100
 File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 35 yds 4.0	4.0 in front H1
2	16	A 35 yds 4.0	4.0 in front H1
3	24	A 35 yds 4.0	4.0 in front H1
4	32	A 35 yds 4.0	4.0 in front H1
5	40	A 30 yds 6.0	2.0 behind H1
6	48	A 35 yds 2.0	2.50 in front H1
7	56	A 30 yds 6.0	2.0 behind H1
8	64	A 30 yds 6.0	5.25 in front H1
9	72	A 30 yds 7.0	12.25 in front H1
10	80	A 30 yds 0.0	12.0 behind Front
11	88	A 25 yds 0.0	12.25 in front H1
12	96	A 25 yds 5.0	6.25 behind Front
13	104	A 30 yds 5.0	6.75 behind Front
14	120	A 20 yds 6.0	11.75 behind Front
15	136	A 25 yds 0.0	9.25 in front H1
16	152	A 25 yds 4.0	5.75 behind H1
17	176	A 25 yds 2.0	2.50 in front H1
18	184	A 25 yds 4.0	12.0 in front H1
19	202	A 30 yds 2.0	10.0 in front H1
20	222	A 30 yds 4.0	12.0 in front H1
21	230	A 25 yds 4.0	8.0 in front H1
22	242	A 15 yds 4.0	13.25 behind Front

Name:ALTO SAX Usr.Lbl:6 3D*Lbl:..93
 File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 0.0	8.0 in front H1
2	16	A 30 yds 0.0	8.0 in front H1
3	24	A 30 yds 0.0	8.0 in front H1
4	32	A 30 yds 0.0	8.0 in front H1
5	40	A 30 yds 0.0	0.0 behind H1
6	48	A 30 yds 0.0	6.0 in front H1
7	56	A 30 yds 0.0	0.0 behind H1
8	64	A 30 yds 0.0	8.25 in front H1
9	72	A 30 yds 1.0	11.75 behind Front
10	80	A 30 yds 0.0	7.50 behind Front
11	88	A 25 yds 6.0	11.75 behind Front
12	96	A 30 yds 4.0	4.25 behind Front
13	104	A 35 yds 5.0	6.75 behind Front
14	120	A 30 yds 0.0	10.25 in front H1
15	136	A 20 yds 6.0	1.75 in front H1
16	152	A 30 yds 0.0	9.75 behind H1
17	176	A 30 yds 2.0	4.75 in front H1
18	184	A 30 yds 4.0	12.0 in front H1
19	202	A 30 yds 6.0	10.0 in front H1
20	222	A 35 yds 0.0	14.0 in front H1
21	230	A 30 yds 0.0	10.0 in front H1
22	242	A 20 yds 0.0	8.75 behind Front

Name:ALTO SAX Usr.Lbl:8 3D*Lbl:..95
 File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 4.0	8.0 in front H1
2	16	A 30 yds 4.0	8.0 in front H1
3	24	A 30 yds 4.0	8.0 in front H1
4	32	A 30 yds 4.0	8.0 in front H1
5	40	A 30 yds 4.0	0.0 behind H1
6	48	A 30 yds 7.0	6.0 in front H1
7	56	A 30 yds 4.0	0.0 behind H1
8	64	A 30 yds 5.0	7.25 in front H1
9	72	A 30 yds 6.0	13.75 behind Front
10	80	A 30 yds 0.0	10.50 behind Front
11	88	A 25 yds 2.0	13.75 behind Front
12	96	A 25 yds 7.0	5.25 behind Front
13	104	A 35 yds 0.0	6.50 behind Front
14	120	A 25 yds 1.0	13.75 in front H1
15	136	A 20 yds 7.0	6.75 in front H1
16	152	A 25 yds 5.0	7.25 behind H1
17	176	A 30 yds 3.0	7.25 in front H1
18	184	A 35 yds 0.0	10.0 in front H1
19	202	A 35 yds 0.0	9.0 in front H1
20	222	A 35 yds 2.0	11.0 in front H1
21	230	A 30 yds 2.0	7.0 in front H1
22	242	A 30 yds 1.0	3.25 in front H1

Name:ALTO SAX Usr.Lbl:5 3D*Lbl:..92
 File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 6.0	6.0 in front H1
2	16	A 25 yds 6.0	6.0 in front H1
3	24	A 25 yds 6.0	6.0 in front H1
4	32	A 25 yds 6.0	6.0 in front H1
5	40	A 25 yds 6.0	2.0 behind H1
6	48	A 25 yds 4.0	2.50 in front H1
7	56	A 25 yds 6.0	2.0 behind H1
8	64	A 25 yds 6.0	7.25 in front H1
9	72	A 25 yds 7.0	11.75 behind Front
10	80	A 30 yds 0.0	6.0 behind Front
11	88	A 30 yds 1.0	11.75 behind Front
12	96	A 30 yds 7.0	3.75 behind Front
13	104	A 35 yds 7.0	7.50 behind Front
14	120	A 30 yds 4.0	8.50 in front H1
15	136	A 20 yds 6.0	0.75 behind H1
16	152	A 30 yds 2.0	10.75 behind H1
17	176	A 25 yds 7.0	0.75 in front H1
18	184	A 30 yds 0.0	10.0 in front H1
19	202	A 30 yds 4.0	9.0 in front H1
20	222	A 30 yds 6.0	13.0 in front H1
21	230	A 25 yds 6.0	9.0 in front H1
22	242	A 15 yds 6.0	10.75 behind Front

Name:ALTO SAX Usr.Lbl:10 3D*Lbl:..97
 File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 30 yds 2.0	6.0 in front H1
2	16	A 30 yds 2.0	6.0 in front H1
3	24	A 30 yds 2.0	6.0 in front H1
4	32	A 30 yds 2.0	6.0 in front H1
5	40	A 30 yds 2.0	2.0 behind H1
6	48	A 30 yds 3.0	2.50 in front H1
7	56	A 30 yds 2.0	2.0 behind H1
8	64	A 30 yds 3.0	6.75 in front H1
9	72	A 30 yds 4.0	12.50 behind Front
10	80	A 30 yds 0.0	9.0 behind Front
11	88	A 25 yds 4.0	12.50 behind Front
12	96	A 30 yds 2.0	4.50 behind Front
13	104	A 35 yds 2.0	6.50 behind Front
14	120	A 25 yds 5.0	11.75 in front H1
15	136	A 20 yds 6.0	4.50 in front H1
16	152	A 25 yds 6.0	8.50 behind H1
17	176	A 25 yds 5.0	1.50 in front H1
18	184	A 25 yds 4.0	8.0 in front H1
19	202	A 30 yds 2.0	8.0 in front H1
20	222	A 30 yds 4.0	8.0 in front H1
21	230	A 25 yds 4.0	4.0 in front H1
22	242	A 25 yds 2.0	0.75 behind H1

Name:ALTO SAX Usr.Lbl:9 3D*Lbl:..96
 File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 25 yds 4.0	8.0 in front H1
2	16	A 25 yds 4.0	8.0 in front H1
3	24	A 25 yds 4.0	8.0 in front H1
4	32	A 25 yds 4.0	8.0 in front H1
5	40	A 25 yds 4.0	0.0 behind H1
6	48	A 25 yds 1.0	6.0 in front H1
7	56	A 25 yds 4.0	0.0 behind H1
8	64	A 25 yds 4.0	8.25 in front H1
9	72	A 25 yds 4.0	11.75 behind Front
10	80	A 30 yds 0.0	4.50 behind Front
11	88	A 30 yds 3.0	11.75 behind Front
12	96	A 35 yds 1.0	4.0 behind Front
13	104	A 40 yds 1.0	8.75 behind Front
14	120	A 35 yds 0.0	7.50 in front H1
15	136	A 20 yds 6.0	3.25 behind H1
16	152	A 30 yds 4.0	11.50 behind H1
17	176	A 30 yds 2.0	2.50 in front H1
18	184	A 30 yds 4.0	8.0 in front H1
19	202	A 30 yds 6.0	8.0 in front H1
20	222	A 35 yds 0.0	10.0 in front H1
21	230	A 30 yds 0.0	6.0 in front H1
22	242	A 25 yds 7.0	0.75 in front H1

Name:ALTO SAX Usr.Lbl:7 3D*Lbl:..94
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	A 20 yds 4.0	4.0 in front H1
2	16	A 20 yds 4.0	4.0 in front H1
3	24	A 20 yds 4.0	4.0 in front H1
4	32	A 20 yds 4.0	4.0 in front H1
5	40	A 25 yds 2.0	2.0 behind H1
6	48	A 20 yds 5.0	2.50 in front H1
7	56	A 25 yds 2.0	2.0 behind H1
8	64	A 25 yds 2.0	7.0 in front H1
9	72	A 25 yds 2.0	12.0 behind Front
10	80	A 30 yds 0.0	3.0 behind Front
11	88	A 30 yds 6.0	12.0 behind Front
12	96	A 35 yds 4.0	4.0 behind Front
13	104	A 40 yds 4.0	10.0 behind Front
14	120	A 35 yds 4.0	6.50 in front H1
15	136	A 20 yds 7.0	5.75 behind H1
16	152	A 30 yds 6.0	11.75 behind H1
17	176	A 30 yds 2.0	0.0 behind H1
18	184	A 30 yds 0.0	6.0 in front H1
19	202	A 30 yds 4.0	7.0 in front H1
20	222	A 30 yds 5.0	9.0 in front H1
21	230	A 25 yds 5.0	5.0 in front H1
22	242	A 25 yds 5.0	0.50 behind H1

Name:FLUTE Usr.Lbl:11 3D*Lbl:..77
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	10.0 in front H1
2	16	B 50 yds 0.0	10.0 in front H1
3	24	A 45 yds 0.0	14.0 in front H1
4	32	A 45 yds 4.0	10.0 in front H1
5	40	A 45 yds 4.0	10.0 in front H1
6	48	A 40 yds 4.0	12.0 in front H1
7	56	A 40 yds 4.0	12.0 in front H1
8	64	A 40 yds 4.0	12.0 in front H1
9	72	A 45 yds 1.0	6.25 in front H1
10	80	A 45 yds 1.0	6.25 in front H1
11	88	A 45 yds 5.0	13.75 behind Front
12	96	A 45 yds 1.0	11.75 behind Front
13	104	A 45 yds 1.0	11.75 behind Front
14	120	A 40 yds 2.0	5.75 in front H1
15	136	A 45 yds 2.0	8.50 behind Front
16	152	A 35 yds 2.0	8.75 behind Front
17	176	A 20 yds 2.0	8.75 behind Front
18	184	A 25 yds 0.0	10.0 behind Front
19	202	A 30 yds 0.0	13.0 in front H1
20	222	A 30 yds 0.0	7.0 behind Front
21	230	A 25 yds 4.0	11.0 behind Front
22	242	A 25 yds 2.0	2.0 behind Front

Name:FLUTE Usr.Lbl:10 3D*Lbl:..76
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	8.0 in front H1
2	16	B 50 yds 0.0	8.0 in front H1
3	24	A 45 yds 0.0	6.0 in front H1
4	32	A 45 yds 4.0	6.0 in front H1
5	40	A 45 yds 4.0	6.0 in front H1
6	48	B 50 yds 0.0	4.0 in front H1
7	56	B 50 yds 0.0	4.0 in front H1
8	64	B 50 yds 0.0	4.0 in front H1
9	72	A 45 yds 0.0	4.0 in front H1
10	80	A 45 yds 0.0	4.0 in front H1
11	88	A 45 yds 4.0	12.0 in front H1
12	96	A 40 yds 6.0	11.0 behind Front
13	104	A 40 yds 6.0	11.0 behind Front
14	120	A 35 yds 6.0	6.0 in front H1
15	136	A 45 yds 0.0	10.25 behind Front
16	152	A 35 yds 1.0	10.25 behind Front
17	176	A 20 yds 1.0	10.25 behind Front
18	184	A 20 yds 4.0	8.0 behind Front
19	202	A 25 yds 6.0	14.0 in front H1
20	222	A 25 yds 6.0	6.0 behind Front
21	230	A 30 yds 6.0	6.0 behind Front
22	242	A 30 yds 4.0	3.75 behind Front

Name:FLUTE Usr.Lbl:2 3D*Lbl:..68
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	8.0 behind H1
2	16	B 50 yds 0.0	8.0 behind H1
3	24	A 45 yds 4.0	2.0 behind H1
4	32	A 45 yds 6.0	0.0 behind H1
5	40	A 45 yds 6.0	0.0 behind H1
6	48	B 45 yds 4.0	5.25 in front H1
7	56	B 45 yds 4.0	5.25 in front H1
8	64	B 45 yds 4.0	5.25 in front H1
9	72	A 45 yds 5.0	3.75 in front H1
10	80	A 45 yds 5.0	3.75 in front H1
11	88	B 45 yds 7.0	11.75 in front H1
12	96	A 45 yds 3.0	12.25 behind Front
13	104	A 45 yds 3.0	12.25 behind Front
14	120	A 40 yds 4.0	6.0 in front H1
15	136	B 45 yds 4.0	6.25 in front H1
16	152	B 40 yds 6.0	8.75 behind Front
17	176	A 40 yds 1.0	8.75 behind Front
18	184	A 40 yds 0.0	6.0 behind Front
19	202	A 35 yds 4.0	13.0 behind Front
20	222	A 35 yds 4.0	5.0 behind Front
21	230	A 35 yds 0.0	9.0 behind Front
22	242	A 25 yds 6.0	6.75 behind Front

Name:FLUTE Usr.Lbl:1 3D*Lbl:..67
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	10.0 behind H1
2	16	B 50 yds 0.0	10.0 behind H1
3	24	A 45 yds 0.0	2.0 behind H1
4	32	A 45 yds 4.0	2.0 in front H1
5	40	A 45 yds 4.0	2.0 in front H1
6	48	B 45 yds 6.0	4.50 in front H1
7	56	B 45 yds 6.0	4.50 in front H1
8	64	B 45 yds 6.0	4.50 in front H1
9	72	A 45 yds 2.0	3.75 in front H1
10	80	A 45 yds 2.0	3.75 in front H1
11	88	A 45 yds 6.0	11.75 in front H1
12	96	A 40 yds 7.0	11.50 behind Front
13	104	A 40 yds 7.0	11.50 behind Front
14	120	A 40 yds 0.0	5.75 in front H1
15	136	B 45 yds 6.0	5.25 in front H1
16	152	B 40 yds 5.0	10.50 behind Front
17	176	A 40 yds 2.0	10.50 behind Front
18	184	A 35 yds 4.0	8.0 behind Front
19	202	A 35 yds 2.0	14.0 in front H1
20	222	A 35 yds 2.0	6.0 behind Front
21	230	A 30 yds 6.0	10.0 behind Front
22	242	A 25 yds 4.0	6.50 behind Front

Name:FLUTE Usr.Lbl:20 3D*Lbl:..86
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	0.0 in front Front
2	16	B 50 yds 0.0	0.0 in front Front
3	24	A 45 yds 0.0	6.0 behind Front
4	32	A 45 yds 4.0	14.0 in front H1
5	40	A 45 yds 4.0	14.0 in front H1
6	48	A 40 yds 6.0	12.75 in front H1
7	56	A 40 yds 6.0	12.75 in front H1
8	64	A 40 yds 6.0	12.75 in front H1
9	72	A 45 yds 3.0	8.0 in front H1
10	80	A 45 yds 3.0	8.0 in front H1
11	88	A 45 yds 6.0	12.0 behind Front
12	96	A 45 yds 5.0	12.50 behind Front
13	104	A 45 yds 5.0	12.50 behind Front
14	120	A 40 yds 6.0	6.25 in front H1
15	136	A 45 yds 3.0	6.75 behind Front
16	152	A 35 yds 3.0	7.50 behind Front
17	176	A 20 yds 3.0	7.50 behind Front
18	184	A 25 yds 0.0	6.0 behind Front
19	202	A 30 yds 0.0	13.0 behind Front
20	222	A 30 yds 0.0	5.0 behind Front
21	230	A 35 yds 0.0	5.0 behind Front
22	242	A 30 yds 5.0	4.50 behind Front

Name:FLUTE Usr.Lbl:9 3D™Lbl:..75

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	6.0 in front H1
2	16	B 50 yds 0.0	6.0 in front H1
3	24	A 45 yds 4.0	6.0 in front H1
4	32	A 45 yds 6.0	4.0 in front H1
5	40	A 45 yds 6.0	4.0 in front H1
6	48	B 45 yds 2.0	5.75 in front H1
7	56	B 45 yds 2.0	5.75 in front H1
8	64	B 45 yds 2.0	5.75 in front H1
9	72	A 45 yds 7.0	4.0 in front H1
10	80	A 45 yds 7.0	4.0 in front H1
11	88	B 45 yds 4.0	12.0 in front H1
12	96	A 45 yds 7.0	12.50 behind Front
13	104	A 45 yds 7.0	12.50 behind Front
14	120	A 45 yds 0.0	6.50 in front H1
15	136	B 45 yds 2.0	7.50 in front H1
16	152	B 40 yds 7.0	7.50 behind Front
17	176	A 40 yds 0.0	7.50 behind Front
18	184	A 35 yds 4.0	4.0 behind Front
19	202	A 35 yds 2.0	12.0 behind Front
20	222	A 35 yds 2.0	4.0 behind Front
21	230	A 40 yds 2.0	4.0 behind Front
22	242	A 30 yds 7.0	10.25 behind Front

Name:FLUTE Usr.Lbl:12 3D™Lbl:..78

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	12.0 in front H1
2	16	B 50 yds 0.0	12.0 in front H1
3	24	A 45 yds 4.0	14.0 in front H1
4	32	A 45 yds 6.0	8.0 in front H1
5	40	A 45 yds 6.0	8.0 in front H1
6	48	A 45 yds 0.0	13.25 in front H1
7	56	A 45 yds 0.0	13.25 in front H1
8	64	A 45 yds 0.0	13.25 in front H1
9	72	A 45 yds 4.0	10.0 in front H1
10	80	A 45 yds 4.0	10.0 in front H1
11	88	B 45 yds 7.0	10.0 behind Front
12	96	B 45 yds 6.0	12.50 behind Front
13	104	B 45 yds 6.0	12.50 behind Front
14	120	A 45 yds 2.0	6.75 in front H1
15	136	A 45 yds 4.0	5.50 behind Front
16	152	A 35 yds 5.0	6.0 behind Front
17	176	A 20 yds 5.0	6.0 behind Front
18	184	A 25 yds 4.0	12.0 behind Front
19	202	A 30 yds 2.0	12.0 in front H1
20	222	A 30 yds 2.0	8.0 behind Front
21	230	A 35 yds 2.0	8.0 behind Front
22	242	A 30 yds 0.0	7.50 behind Front

Name:FLUTE Usr.Lbl:3 3D™Lbl:..69

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	6.0 behind H1
2	16	B 50 yds 0.0	6.0 behind H1
3	24	B 50 yds 0.0	2.0 behind H1
4	32	B 50 yds 0.0	2.0 in front H1
5	40	B 50 yds 0.0	2.0 in front H1
6	48	B 45 yds 0.0	6.75 in front H1
7	56	B 45 yds 0.0	6.75 in front H1
8	64	B 45 yds 0.0	6.75 in front H1
9	72	B 45 yds 6.0	4.25 in front H1
10	80	B 45 yds 6.0	4.25 in front H1
11	88	B 45 yds 2.0	12.25 in front H1
12	96	B 45 yds 4.0	12.25 behind Front
13	104	B 45 yds 4.0	12.25 behind Front
14	120	A 45 yds 3.0	7.50 in front H1
15	136	B 45 yds 1.0	8.75 in front H1
16	152	B 45 yds 1.0	6.0 behind Front
17	176	A 35 yds 6.0	6.0 behind Front
18	184	A 35 yds 0.0	10.0 behind Front
19	202	A 35 yds 0.0	13.0 in front H1
20	222	A 35 yds 0.0	7.0 behind Front
21	230	A 30 yds 4.0	11.0 behind Front
22	242	A 25 yds 2.0	6.25 behind Front

Name:FLUTE Usr.Lbl:19 3D™Lbl:..85

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	2.0 behind Front
2	16	B 50 yds 0.0	2.0 behind Front
3	24	A 45 yds 4.0	6.0 behind Front
4	32	A 45 yds 6.0	12.0 in front H1
5	40	A 45 yds 6.0	12.0 in front H1
6	48	A 45 yds 2.0	13.75 in front H1
7	56	A 45 yds 2.0	13.75 in front H1
8	64	A 45 yds 2.0	13.75 in front H1
9	72	A 45 yds 6.0	11.75 in front H1
10	80	A 45 yds 6.0	11.75 in front H1
11	88	B 45 yds 5.0	8.25 behind Front
12	96	B 45 yds 2.0	11.75 behind Front
13	104	B 45 yds 2.0	11.75 behind Front
14	120	A 45 yds 5.0	8.25 in front H1
15	136	A 45 yds 6.0	4.75 behind Front
16	152	A 35 yds 7.0	5.0 behind Front
17	176	A 20 yds 7.0	5.0 behind Front
18	184	A 25 yds 4.0	8.0 behind Front
19	202	A 30 yds 2.0	14.0 in front H1
20	222	A 30 yds 2.0	6.0 behind Front
21	230	A 25 yds 6.0	10.0 behind Front
22	242	A 25 yds 4.0	2.25 behind Front

Name:FLUTE Usr.Lbl:4 3D™Lbl:..70

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	4.0 behind H1
2	16	B 50 yds 0.0	4.0 behind H1
3	24	B 45 yds 4.0	2.0 behind H1
4	32	B 45 yds 6.0	0.0 behind H1
5	40	B 45 yds 6.0	0.0 behind H1
6	48	B 40 yds 6.0	8.25 in front H1
7	56	B 40 yds 6.0	8.25 in front H1
8	64	B 40 yds 6.0	8.25 in front H1
9	72	B 45 yds 3.0	4.75 in front H1
10	80	B 45 yds 3.0	4.75 in front H1
11	88	B 40 yds 7.0	12.75 in front H1
12	96	B 45 yds 0.0	11.50 behind Front
13	104	B 45 yds 0.0	11.50 behind Front
14	120	A 45 yds 7.0	8.75 in front H1
15	136	B 40 yds 7.0	10.25 in front H1
16	152	B 45 yds 3.0	5.0 behind Front
17	176	A 35 yds 4.0	5.0 behind Front
18	184	A 35 yds 0.0	6.0 behind Front
19	202	A 35 yds 0.0	13.0 behind Front
20	222	A 35 yds 0.0	5.0 behind Front
21	230	A 40 yds 0.0	5.0 behind Front
22	242	A 30 yds 5.0	9.50 behind Front

Name:FLUTE Usr.Lbl:13 3D™Lbl:..79

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	14.0 in front H1
2	16	B 50 yds 0.0	14.0 in front H1
3	24	B 50 yds 0.0	14.0 in front H1
4	32	B 50 yds 0.0	10.0 in front H1
5	40	B 50 yds 0.0	10.0 in front H1
6	48	A 45 yds 4.0	13.75 behind Front
7	56	A 45 yds 4.0	13.75 behind Front
8	64	A 45 yds 4.0	13.75 behind Front
9	72	B 45 yds 7.0	13.50 in front H1
10	80	B 45 yds 7.0	13.50 in front H1
11	88	B 45 yds 4.0	6.75 behind Front
12	96	B 40 yds 6.0	10.75 behind Front
13	104	B 40 yds 6.0	10.75 behind Front
14	120	B 45 yds 6.0	9.75 in front H1
15	136	B 45 yds 7.0	4.25 behind Front
16	152	A 40 yds 1.0	4.0 behind Front
17	176	A 25 yds 1.0	4.0 behind Front
18	184	A 25 yds 4.0	4.0 behind Front
19	202	A 30 yds 2.0	12.0 behind Front
20	222	A 30 yds 2.0	4.0 behind Front
21	230	A 35 yds 2.0	4.0 behind Front
22	242	A 30 yds 7.0	5.0 behind Front

Name:FLUTE Usr.Lbl:5 3D*Lbl:..71

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	2.0 behind H1
2	16	B 50 yds 0.0	2.0 behind H1
3	24	B 45 yds 0.0	2.0 behind H1
4	32	B 45 yds 4.0	2.0 in front H1
5	40	B 45 yds 4.0	2.0 in front H1
6	48	B 40 yds 5.0	9.75 in front H1
7	56	B 40 yds 5.0	9.75 in front H1
8	64	B 40 yds 5.0	9.75 in front H1
9	72	B 45 yds 1.0	6.0 in front H1
10	80	B 45 yds 1.0	6.0 in front H1
11	88	B 40 yds 5.0	14.0 in front H1
12	96	B 40 yds 4.0	10.25 behind Front
13	104	B 40 yds 4.0	10.25 behind Front
14	120	B 45 yds 4.0	10.75 in front H1
15	136	B 40 yds 6.0	11.75 in front H1
16	152	B 45 yds 5.0	4.0 behind Front
17	176	A 35 yds 2.0	4.0 behind Front
18	184	A 35 yds 0.0	2.0 behind Front
19	202	A 35 yds 0.0	11.0 behind Front
20	222	A 35 yds 0.0	3.0 behind Front
21	230	A 30 yds 4.0	7.0 behind Front
22	242	A 30 yds 2.0	3.25 behind Front

Name:FLUTE Usr.Lbl:18 3D*Lbl:..84

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	4.0 behind Front
2	16	B 50 yds 0.0	4.0 behind Front
3	24	B 50 yds 0.0	6.0 behind Front
4	32	B 50 yds 0.0	14.0 in front H1
5	40	B 50 yds 0.0	14.0 in front H1
6	48	A 45 yds 6.0	13.25 behind Front
7	56	A 45 yds 6.0	13.25 behind Front
8	64	A 45 yds 6.0	13.25 behind Front
9	72	B 45 yds 5.0	13.50 behind Front
10	80	B 45 yds 5.0	13.50 behind Front
11	88	B 45 yds 1.0	5.50 behind Front
12	96	B 40 yds 2.0	9.25 behind Front
13	104	B 40 yds 2.0	9.25 behind Front
14	120	B 45 yds 3.0	11.75 in front H1
15	136	B 45 yds 5.0	4.25 behind Front
16	152	A 40 yds 2.0	3.25 behind Front
17	176	A 25 yds 2.0	3.25 behind Front
18	184	A 30 yds 0.0	14.0 in front H1
19	202	A 30 yds 4.0	11.0 in front H1
20	222	A 30 yds 4.0	9.0 behind Front
21	230	A 30 yds 0.0	13.0 behind Front
22	242	A 20 yds 6.0	6.0 behind Front

Name:FLUTE Usr.Lbl:7 3D*Lbl:..73

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	2.0 in front H1
2	16	B 50 yds 0.0	2.0 in front H1
3	24	B 45 yds 4.0	6.0 in front H1
4	32	B 45 yds 6.0	4.0 in front H1
5	40	B 45 yds 6.0	4.0 in front H1
6	48	B 40 yds 5.0	11.75 in front H1
7	56	B 40 yds 5.0	11.75 in front H1
8	64	B 40 yds 5.0	11.75 in front H1
9	72	B 40 yds 7.0	7.50 in front H1
10	80	B 40 yds 7.0	7.50 in front H1
11	88	B 40 yds 3.0	12.50 behind Front
12	96	B 40 yds 0.0	8.50 behind Front
13	104	B 40 yds 0.0	8.50 behind Front
14	120	B 45 yds 1.0	12.75 in front H1
15	136	B 40 yds 5.0	13.75 in front H1
16	152	B 45 yds 6.0	3.25 behind Front
17	176	A 35 yds 1.0	3.25 behind Front
18	184	A 30 yds 4.0	12.0 behind Front
19	202	A 30 yds 6.0	12.0 in front H1
20	222	A 30 yds 6.0	8.0 behind Front
21	230	A 30 yds 2.0	12.0 behind Front
22	242	A 25 yds 0.0	6.0 behind Front

Name:FLUTE Usr.Lbl:17 3D*Lbl:..83

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	6.0 behind Front
2	16	B 50 yds 0.0	6.0 behind Front
3	24	B 45 yds 4.0	6.0 behind Front
4	32	B 45 yds 6.0	12.0 in front H1
5	40	B 45 yds 6.0	12.0 in front H1
6	48	B 45 yds 7.0	12.75 behind Front
7	56	B 45 yds 7.0	12.75 behind Front
8	64	B 45 yds 7.0	12.75 behind Front
9	72	B 45 yds 3.0	12.50 behind Front
10	80	B 45 yds 3.0	12.50 behind Front
11	88	B 40 yds 7.0	4.50 behind Front
12	96	B 35 yds 7.0	7.50 behind Front
13	104	B 35 yds 7.0	7.50 behind Front
14	120	B 40 yds 7.0	13.75 in front H1
15	136	B 45 yds 3.0	4.75 behind Front
16	152	A 40 yds 5.0	2.75 behind Front
17	176	A 25 yds 5.0	2.75 behind Front
18	184	A 30 yds 0.0	10.0 behind Front
19	202	A 30 yds 4.0	13.0 in front H1
20	222	A 30 yds 4.0	7.0 behind Front
21	230	A 35 yds 4.0	7.0 behind Front
22	242	A 30 yds 2.0	8.0 behind Front

Name:FLUTE Usr.Lbl:6 3D*Lbl:..72

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	0.0 behind H1
2	16	B 50 yds 0.0	0.0 behind H1
3	24	B 45 yds 0.0	6.0 in front H1
4	32	B 45 yds 4.0	6.0 in front H1
5	40	B 45 yds 4.0	6.0 in front H1
6	48	B 40 yds 5.0	13.75 in front H1
7	56	B 40 yds 5.0	13.75 in front H1
8	64	B 40 yds 5.0	13.75 in front H1
9	72	B 40 yds 5.0	9.50 in front H1
10	80	B 40 yds 5.0	9.50 in front H1
11	88	B 40 yds 1.0	10.75 behind Front
12	96	B 35 yds 5.0	6.50 behind Front
13	104	B 35 yds 5.0	6.50 behind Front
14	120	B 40 yds 6.0	12.75 behind Front
15	136	B 40 yds 5.0	12.25 behind Front
16	152	A 45 yds 7.0	2.75 behind Front
17	176	A 30 yds 7.0	2.75 behind Front
18	184	A 30 yds 4.0	8.0 behind Front
19	202	A 30 yds 6.0	14.0 in front H1
20	222	A 30 yds 6.0	6.0 behind Front
21	230	A 35 yds 6.0	6.0 behind Front
22	242	A 30 yds 3.0	8.75 behind Front

Name:FLUTE Usr.Lbl:14 3D*Lbl:..80

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	12.0 behind Front
2	16	B 50 yds 0.0	12.0 behind Front
3	24	B 45 yds 4.0	14.0 in front H1
4	32	B 45 yds 6.0	8.0 in front H1
5	40	B 45 yds 6.0	8.0 in front H1
6	48	B 45 yds 5.0	12.50 behind Front
7	56	B 45 yds 5.0	12.50 behind Front
8	64	B 45 yds 5.0	12.50 behind Front
9	72	B 45 yds 0.0	12.0 behind Front
10	80	B 45 yds 0.0	12.0 behind Front
11	88	B 40 yds 5.0	4.0 behind Front
12	96	B 35 yds 4.0	5.25 behind Front
13	104	B 35 yds 4.0	5.25 behind Front
14	120	B 40 yds 4.0	11.50 behind Front
15	136	B 45 yds 1.0	5.75 behind Front
16	152	A 40 yds 6.0	2.25 behind Front
17	176	A 25 yds 6.0	2.25 behind Front
18	184	A 30 yds 0.0	6.0 behind Front
19	202	A 30 yds 4.0	13.0 behind Front
20	222	A 30 yds 4.0	5.0 behind Front
21	230	A 30 yds 0.0	9.0 behind Front
22	242	A 25 yds 6.0	2.50 behind Front

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	4.0 in front H1
2	16	B 50 yds 0.0	4.0 in front H1
3	24	B 50 yds 0.0	6.0 in front H1
4	32	B 50 yds 0.0	6.0 in front H1
5	40	B 50 yds 0.0	6.0 in front H1
6	48	B 40 yds 7.0	12.75 behind Front
7	56	B 40 yds 7.0	12.75 behind Front
8	64	B 40 yds 7.0	12.75 behind Front
9	72	B 40 yds 4.0	11.75 in front H1
10	80	B 40 yds 4.0	11.75 in front H1
11	88	B 40 yds 1.0	8.25 behind Front
12	96	B 35 yds 2.0	3.75 behind Front
13	104	B 35 yds 2.0	3.75 behind Front
14	120	B 40 yds 3.0	10.0 behind Front
15	136	B 40 yds 6.0	10.25 behind Front
16	152	A 45 yds 5.0	2.25 behind Front
17	176	A 30 yds 5.0	2.25 behind Front
18	184	A 30 yds 4.0	4.0 behind Front
19	202	A 30 yds 6.0	12.0 behind Front
20	222	A 30 yds 6.0	4.0 behind Front
21	230	A 30 yds 2.0	8.0 behind Front
22	242	A 30 yds 0.0	2.75 behind Front

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	8.0 behind Front
2	16	B 50 yds 0.0	8.0 behind Front
3	24	B 45 yds 0.0	6.0 behind Front
4	32	B 45 yds 4.0	14.0 in front H1
5	40	B 45 yds 4.0	14.0 in front H1
6	48	B 45 yds 3.0	12.25 behind Front
7	56	B 45 yds 3.0	12.25 behind Front
8	64	B 45 yds 3.0	12.25 behind Front
9	72	B 40 yds 6.0	12.25 behind Front
10	80	B 40 yds 6.0	12.25 behind Front
11	88	B 40 yds 2.0	4.25 behind Front
12	96	B 35 yds 1.0	2.50 behind Front
13	104	B 35 yds 1.0	2.50 behind Front
14	120	B 40 yds 2.0	8.50 behind Front
15	136	B 45 yds 0.0	7.25 behind Front
16	152	A 45 yds 1.0	2.0 behind Front
17	176	A 30 yds 1.0	2.0 behind Front
18	184	A 30 yds 0.0	2.0 behind Front
19	202	A 30 yds 4.0	11.0 behind Front
20	222	A 30 yds 4.0	3.0 behind Front
21	230	A 35 yds 4.0	3.0 behind Front
22	242	A 35 yds 1.0	5.75 behind Front

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	10.0 behind Front
2	16	B 50 yds 0.0	10.0 behind Front
3	24	B 45 yds 0.0	14.0 in front H1
4	32	B 45 yds 4.0	10.0 in front H1
5	40	B 45 yds 4.0	10.0 in front H1
6	48	B 45 yds 1.0	12.25 behind Front
7	56	B 45 yds 1.0	12.25 behind Front
8	64	B 45 yds 1.0	12.25 behind Front
9	72	B 40 yds 4.0	13.75 behind Front
10	80	B 40 yds 4.0	13.75 behind Front
11	88	B 40 yds 0.0	5.75 behind Front
12	96	B 35 yds 0.0	1.0 behind Front
13	104	B 35 yds 0.0	1.0 behind Front
14	120	B 40 yds 1.0	7.0 behind Front
15	136	B 40 yds 7.0	8.75 behind Front
16	152	A 45 yds 3.0	2.0 behind Front
17	176	A 30 yds 3.0	2.0 behind Front
18	184	A 30 yds 4.0	0.0 in front Front
19	202	A 30 yds 6.0	10.0 behind Front
20	222	A 30 yds 6.0	2.0 behind Front
21	230	A 35 yds 6.0	2.0 behind Front
22	242	A 35 yds 3.0	6.75 behind Front

Pg	Count	End-to-End	Side-to-Side
1	0	B 45 yds 2.0	10.0 in front H2
2	16	B 45 yds 2.0	10.0 in front H2
3	24	B 45 yds 2.0	10.0 in front H2
4	32	B 45 yds 2.0	10.0 in front H2
5	40	B 45 yds 2.0	8.0 behind H1
6	48	B 45 yds 2.0	2.0 behind H1
7	56	A 45 yds 6.0	3.50 in front H1
8	64	A 45 yds 6.0	3.50 in front H1
9	72	A 40 yds 6.0	2.25 in front H1
10	80	A 40 yds 6.0	2.25 in front H1
11	88	A 45 yds 2.0	10.50 in front H1
12	96	A 40 yds 6.0	13.50 behind Front
13	104	A 40 yds 6.0	13.50 behind Front
14	120	A 35 yds 6.0	3.50 in front H1
15	136	B 50 yds 0.0	4.0 in front H1
16	152	B 40 yds 4.0	12.0 behind Front
17	176	A 40 yds 4.0	12.0 behind Front
18	184	A 45 yds 0.0	10.0 behind Front
19	202	A 40 yds 0.0	13.0 in front H1
20	222	A 40 yds 6.0	10.0 behind Front
21	230	A 45 yds 0.0	4.0 behind Front
22	242	A 35 yds 5.0	7.50 behind Front

Pg	Count	End-to-End	Side-to-Side
1	0	B 45 yds 4.0	12.0 in front H2
2	16	B 45 yds 4.0	12.0 in front H2
3	24	B 45 yds 4.0	12.0 in front H2
4	32	B 45 yds 4.0	12.0 in front H2
5	40	B 45 yds 4.0	6.0 behind H1
6	48	B 45 yds 6.0	2.0 behind H1
7	56	A 45 yds 4.0	2.75 in front H1
8	64	A 45 yds 4.0	2.75 in front H1
9	72	A 40 yds 4.0	0.0 behind H1
10	80	A 40 yds 4.0	0.0 behind H1
11	88	A 45 yds 0.0	8.50 in front H1
12	96	A 40 yds 6.0	12.0 in front H1
13	104	A 40 yds 6.0	12.0 in front H1
14	120	A 35 yds 7.0	1.25 in front H1
15	136	A 45 yds 6.0	2.75 in front H1
16	152	B 40 yds 6.0	12.75 behind Front
17	176	A 40 yds 4.0	13.75 in front H1
18	184	A 45 yds 4.0	12.0 behind Front
19	202	A 40 yds 2.0	12.0 in front H1
20	222	A 40 yds 6.0	12.0 behind Front
21	230	A 40 yds 4.0	4.0 behind Front
22	242	A 35 yds 1.0	11.25 behind Front

Pg	Count	End-to-End	Side-to-Side
1	0	B 45 yds 6.0	14.0 in front H2
2	16	B 45 yds 6.0	14.0 in front H2
3	24	B 45 yds 6.0	14.0 in front H2
4	32	B 45 yds 6.0	14.0 in front H2
5	40	B 45 yds 6.0	4.0 behind H1
6	48	A 45 yds 6.0	2.0 behind H1
7	56	A 45 yds 2.0	1.75 in front H1
8	64	A 45 yds 2.0	1.75 in front H1
9	72	A 40 yds 4.0	2.25 behind H1
10	80	A 40 yds 4.0	2.25 behind H1
11	88	A 40 yds 7.0	6.50 in front H1
12	96	A 40 yds 7.0	9.75 in front H1
13	104	A 40 yds 7.0	9.75 in front H1
14	120	A 40 yds 1.0	1.0 behind H1
15	136	A 45 yds 4.0	1.50 in front H1
16	152	B 45 yds 0.0	13.50 behind Front
17	176	A 40 yds 4.0	11.75 in front H1
18	184	B 50 yds 0.0	14.0 in front H1
19	202	A 40 yds 4.0	11.0 in front H1
20	222	A 40 yds 6.0	14.0 in front H1
21	230	A 45 yds 0.0	8.0 behind Front
22	242	A 35 yds 6.0	8.50 behind Front

Name:CLARINET Usr.Lbl:1 3D*Lbl:..108

File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	12.0 behind H1
2	16	B 50 yds 0.0	12.0 behind H1
3	24	B 50 yds 0.0	12.0 behind H1
4	32	B 50 yds 0.0	12.0 behind H1
5	40	B 50 yds 0.0	2.0 behind H1
6	48	A 45 yds 2.0	2.0 behind H1
7	56	A 45 yds 0.0	1.0 in front H1
8	64	A 45 yds 0.0	1.0 in front H1
9	72	A 40 yds 4.0	4.75 behind H1
10	80	A 40 yds 4.0	4.75 behind H1
11	88	A 40 yds 6.0	4.0 in front H1
12	96	A 45 yds 0.0	7.50 in front H1
13	104	A 45 yds 0.0	7.50 in front H1
14	120	A 40 yds 2.0	3.0 behind H1
15	136	A 45 yds 3.0	0.25 in front H1
16	152	B 45 yds 3.0	13.25 in front H1
17	176	A 40 yds 5.0	9.75 in front H1
18	184	A 45 yds 4.0	12.0 in front H1
19	202	A 40 yds 2.0	10.0 in front H1
20	222	A 40 yds 6.0	12.0 in front H1
21	230	A 40 yds 4.0	8.0 behind Front
22	242	A 35 yds 2.0	12.25 behind Front

Name:CLARINET Usr.Lbl:2 3D*Lbl:..109

File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	A 45 yds 6.0	14.0 in front H2
2	16	A 45 yds 6.0	14.0 in front H2
3	24	A 45 yds 6.0	14.0 in front H2
4	32	A 45 yds 6.0	14.0 in front H2
5	40	A 45 yds 6.0	4.0 behind H1
6	48	A 45 yds 2.0	6.0 behind H1
7	56	A 40 yds 6.0	0.25 behind H1
8	64	A 40 yds 6.0	0.25 behind H1
9	72	A 40 yds 4.0	7.25 behind H1
10	80	A 40 yds 4.0	7.25 behind H1
11	88	A 40 yds 6.0	1.75 in front H1
12	96	A 45 yds 1.0	5.25 in front H1
13	104	A 45 yds 1.0	5.25 in front H1
14	120	A 40 yds 4.0	4.50 behind H1
15	136	A 45 yds 2.0	1.50 behind H1
16	152	B 45 yds 5.0	11.75 in front H1
17	176	A 40 yds 6.0	8.0 in front H1
18	184	B 50 yds 0.0	10.0 in front H1
19	202	A 40 yds 4.0	9.0 in front H1
20	222	A 40 yds 6.0	10.0 in front H1
21	230	A 45 yds 0.0	12.0 behind Front
22	242	A 40 yds 0.0	9.50 behind Front

Name:CLARINET Usr.Lbl:3 3D*Lbl:..110

File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	A 45 yds 4.0	12.0 in front H2
2	16	A 45 yds 4.0	12.0 in front H2
3	24	A 45 yds 4.0	12.0 in front H2
4	32	A 45 yds 4.0	12.0 in front H2
5	40	A 45 yds 4.0	6.0 behind H1
6	48	A 45 yds 2.0	10.0 behind H1
7	56	A 40 yds 6.0	2.25 behind H1
8	64	A 40 yds 6.0	2.25 behind H1
9	72	A 40 yds 6.0	9.25 behind H1
10	80	A 40 yds 6.0	9.25 behind H1
11	88	A 40 yds 6.0	0.75 behind H1
12	96	A 45 yds 2.0	2.75 in front H1
13	104	A 45 yds 2.0	2.75 in front H1
14	120	A 40 yds 6.0	5.75 behind H1
15	136	A 45 yds 1.0	3.50 behind H1
16	152	B 45 yds 7.0	10.50 in front H1
17	176	A 40 yds 6.0	6.0 in front H1
18	184	A 45 yds 4.0	8.0 in front H1
19	202	A 40 yds 2.0	8.0 in front H1
20	222	A 40 yds 6.0	8.0 in front H1
21	230	A 40 yds 4.0	12.0 behind Front
22	242	A 35 yds 4.0	13.25 behind Front

Name:CLARINET Usr.Lbl:4 3D*Lbl:..111

File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	A 45 yds 2.0	10.0 in front H2
2	16	A 45 yds 2.0	10.0 in front H2
3	24	A 45 yds 2.0	10.0 in front H2
4	32	A 45 yds 2.0	10.0 in front H2
5	40	A 45 yds 2.0	8.0 behind H1
6	48	A 45 yds 2.0	14.0 in front H2
7	56	A 40 yds 6.0	4.0 behind H1
8	64	A 40 yds 6.0	4.0 behind H1
9	72	A 45 yds 0.0	10.75 behind H1
10	80	A 45 yds 0.0	10.75 behind H1
11	88	A 40 yds 7.0	3.25 behind H1
12	96	A 45 yds 3.0	0.75 in front H1
13	104	A 45 yds 3.0	0.75 in front H1
14	120	A 45 yds 1.0	6.50 behind H1
15	136	A 45 yds 2.0	5.50 behind H1
16	152	A 45 yds 7.0	8.75 in front H1
17	176	A 40 yds 7.0	4.25 in front H1
18	184	A 45 yds 0.0	6.0 in front H1
19	202	A 40 yds 0.0	7.0 in front H1
20	222	A 40 yds 6.0	6.0 in front H1
21	230	A 45 yds 0.0	12.0 in front H1
22	242	A 40 yds 2.0	10.75 behind Front

Name:CLARINET Usr.Lbl:5 3D*Lbl:..112

File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	A 45 yds 4.0	8.0 in front H2
2	16	A 45 yds 4.0	8.0 in front H2
3	24	A 45 yds 4.0	8.0 in front H2
4	32	A 45 yds 4.0	8.0 in front H2
5	40	A 45 yds 4.0	10.0 behind H1
6	48	A 45 yds 6.0	14.0 in front H2
7	56	A 45 yds 0.0	5.75 behind H1
8	64	A 45 yds 0.0	5.75 behind H1
9	72	A 45 yds 2.0	11.75 behind H1
10	80	A 45 yds 2.0	11.75 behind H1
11	88	A 45 yds 0.0	5.50 behind H1
12	96	A 45 yds 5.0	1.25 behind H1
13	104	A 45 yds 5.0	1.25 behind H1
14	120	A 45 yds 3.0	7.0 behind H1
15	136	A 45 yds 2.0	7.25 behind H1
16	152	A 45 yds 5.0	6.75 in front H1
17	176	A 45 yds 1.0	2.50 in front H1
18	184	A 40 yds 4.0	4.0 in front H1
19	202	A 35 yds 6.0	6.0 in front H1
20	222	A 40 yds 6.0	4.0 in front H1
21	230	A 40 yds 4.0	12.0 in front H1
22	242	A 35 yds 6.0	13.50 in front H1

Name:CLARINET Usr.Lbl:6 3D*Lbl:..113

File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	A 45 yds 6.0	10.0 in front H2
2	16	A 45 yds 6.0	10.0 in front H2
3	24	A 45 yds 6.0	10.0 in front H2
4	32	A 45 yds 6.0	10.0 in front H2
5	40	A 45 yds 6.0	8.0 behind H1
6	48	A 45 yds 6.0	10.0 behind H1
7	56	A 45 yds 1.0	6.75 behind H1
8	64	A 45 yds 1.0	6.75 behind H1
9	72	A 45 yds 5.0	12.25 behind H1
10	80	A 45 yds 5.0	12.25 behind H1
11	88	A 45 yds 2.0	7.25 behind H1
12	96	A 45 yds 6.0	2.75 behind H1
13	104	A 45 yds 6.0	2.75 behind H1
14	120	A 45 yds 6.0	7.0 behind H1
15	136	A 45 yds 3.0	8.75 behind H1
16	152	A 45 yds 4.0	4.75 in front H1
17	176	A 45 yds 2.0	0.75 in front H1
18	184	A 45 yds 0.0	2.0 in front H1
19	202	A 40 yds 0.0	5.0 in front H1
20	222	A 40 yds 6.0	0.0 behind H1
21	230	A 40 yds 4.0	8.0 in front H1
22	242	A 35 yds 7.0	12.25 in front H1

Name:CLARINET Usr.Lbl:7 3D*Lbl:..114

File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	12.0 in front H2
2	16	B 50 yds 0.0	12.0 in front H2
3	24	B 50 yds 0.0	12.0 in front H2
4	32	B 50 yds 0.0	12.0 in front H2
5	40	B 50 yds 0.0	6.0 behind H1
6	48	A 45 yds 6.0	6.0 behind H1
7	56	A 45 yds 3.0	7.50 behind H1
8	64	A 45 yds 3.0	7.50 behind H1
9	72	A 45 yds 7.0	12.25 behind H1
10	80	A 45 yds 7.0	12.25 behind H1
11	88	A 45 yds 4.0	8.75 behind H1
12	96	B 45 yds 7.0	4.75 behind H1
13	104	B 45 yds 7.0	4.75 behind H1
14	120	B 45 yds 7.0	6.50 behind H1
15	136	A 45 yds 5.0	10.25 behind H1
16	152	A 45 yds 2.0	2.50 in front H1
17	176	A 45 yds 3.0	0.75 behind H1
18	184	A 45 yds 4.0	4.0 in front H1
19	202	A 40 yds 2.0	6.0 in front H1
20	222	A 40 yds 6.0	2.0 in front H1
21	230	A 45 yds 0.0	8.0 in front H1
22	242	A 40 yds 3.0	12.0 behind Front

Name:CLARINET Usr.Lbl:10 3D*Lbl:..117

File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	B 45 yds 6.0	10.0 in front H2
2	16	B 45 yds 6.0	10.0 in front H2
3	24	B 45 yds 6.0	10.0 in front H2
4	32	B 45 yds 6.0	10.0 in front H2
5	40	B 45 yds 6.0	8.0 behind H1
6	48	B 45 yds 6.0	6.0 behind H1
7	56	A 45 yds 5.0	8.0 behind H1
8	64	A 45 yds 5.0	8.0 behind H1
9	72	B 45 yds 5.0	12.25 behind H1
10	80	B 45 yds 5.0	12.25 behind H1
11	88	A 45 yds 6.0	9.75 behind H1
12	96	B 45 yds 5.0	6.25 behind H1
13	104	B 45 yds 5.0	6.25 behind H1
14	120	B 45 yds 4.0	5.75 behind H1
15	136	A 45 yds 6.0	11.50 behind H1
16	152	A 45 yds 1.0	0.25 in front H1
17	176	A 45 yds 5.0	2.25 behind H1
18	184	B 50 yds 0.0	2.0 in front H1
19	202	A 40 yds 4.0	5.0 in front H1
20	222	A 40 yds 6.0	2.0 behind H1
21	230	A 45 yds 0.0	4.0 in front H1
22	242	A 40 yds 5.0	13.25 behind Front

Name:CLARINET Usr.Lbl:11 3D*Lbl:..118

File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	8.0 in front H2
2	16	B 50 yds 0.0	8.0 in front H2
3	24	B 50 yds 0.0	8.0 in front H2
4	32	B 50 yds 0.0	8.0 in front H2
5	40	B 50 yds 0.0	10.0 behind H1
6	48	B 45 yds 6.0	10.0 behind H1
7	56	A 45 yds 7.0	8.25 behind H1
8	64	A 45 yds 7.0	8.25 behind H1
9	72	B 45 yds 3.0	11.75 behind H1
10	80	B 45 yds 3.0	11.75 behind H1
11	88	B 45 yds 7.0	10.50 behind H1
12	96	B 45 yds 3.0	7.50 behind H1
13	104	B 45 yds 3.0	7.50 behind H1
14	120	B 45 yds 2.0	4.50 behind H1
15	136	B 45 yds 7.0	12.75 behind H1
16	152	A 45 yds 0.0	2.25 behind H1
17	176	A 45 yds 6.0	3.50 behind H1
18	184	A 45 yds 4.0	0.0 behind H1
19	202	A 40 yds 2.0	4.0 in front H1
20	222	A 40 yds 6.0	4.0 behind H1
21	230	A 40 yds 4.0	4.0 in front H1
22	242	A 40 yds 1.0	10.75 in front H1

Name:CLARINET Usr.Lbl:12 3D*Lbl:..119

File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	A 45 yds 6.0	6.0 in front H2
2	16	A 45 yds 6.0	6.0 in front H2
3	24	A 45 yds 6.0	6.0 in front H2
4	32	A 45 yds 6.0	6.0 in front H2
5	40	A 45 yds 6.0	12.0 behind H1
6	48	B 45 yds 6.0	14.0 in front H2
7	56	B 45 yds 6.0	8.0 behind H1
8	64	B 45 yds 6.0	8.0 behind H1
9	72	B 45 yds 1.0	11.25 behind H1
10	80	B 45 yds 1.0	11.25 behind H1
11	88	B 45 yds 4.0	10.50 behind H1
12	96	B 45 yds 1.0	8.75 behind H1
13	104	B 45 yds 1.0	8.75 behind H1
14	120	B 45 yds 0.0	3.0 behind H1
15	136	B 45 yds 5.0	13.75 behind H1
16	152	A 45 yds 0.0	4.50 behind H1
17	176	B 45 yds 7.0	4.75 behind H1
18	184	B 50 yds 0.0	2.0 behind H1
19	202	A 40 yds 4.0	3.0 in front H1
20	222	A 40 yds 6.0	6.0 behind H1
21	230	A 45 yds 0.0	0.0 behind H1
22	242	A 40 yds 6.0	13.50 in front H1

Name:CLARINET Usr.Lbl:13 3D*Lbl:..120

File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	B 50 yds 0.0	4.0 in front H2
2	16	B 50 yds 0.0	4.0 in front H2
3	24	B 50 yds 0.0	4.0 in front H2
4	32	B 50 yds 0.0	4.0 in front H2
5	40	B 50 yds 0.0	14.0 in front H2
6	48	B 45 yds 2.0	14.0 in front H2
7	56	B 45 yds 4.0	7.75 behind H1
8	64	B 45 yds 4.0	7.75 behind H1
9	72	B 40 yds 6.0	10.25 behind H1
10	80	B 40 yds 6.0	10.25 behind H1
11	88	B 45 yds 2.0	10.25 behind H1
12	96	B 40 yds 6.0	9.75 behind H1
13	104	B 40 yds 6.0	9.75 behind H1
14	120	B 40 yds 7.0	1.0 behind H1
15	136	B 45 yds 3.0	13.75 in front H2
16	152	A 45 yds 0.0	7.0 behind H1
17	176	B 45 yds 5.0	5.75 behind H1
18	184	B 45 yds 4.0	4.0 behind H1
19	202	A 40 yds 6.0	2.0 in front H1
20	222	A 40 yds 6.0	8.0 behind H1
21	230	A 40 yds 4.0	0.0 behind H1
22	242	A 40 yds 2.0	9.50 in front H1

Name:CLARINET Usr.Lbl:14 3D*Lbl:..121

File #1:2005 Grand Rapids Woods Opener.dr1

Pg	Count	End-to-End	Side-to-Side
1	0	B 45 yds 6.0	6.0 in front H2
2	16	B 45 yds 6.0	6.0 in front H2
3	24	B 45 yds 6.0	6.0 in front H2
4	32	B 45 yds 6.0	6.0 in front H2
5	40	B 45 yds 6.0	12.0 behind H1
6	48	B 45 yds 2.0	10.0 behind H1
7	56	B 45 yds 2.0	7.50 behind H1
8	64	B 45 yds 2.0	7.50 behind H1
9	72	B 40 yds 4.0	9.25 behind H1
10	80	B 40 yds 4.0	9.25 behind H1
11	88	B 45 yds 0.0	9.50 behind H1
12	96	B 40 yds 4.0	10.50 behind H1
13	104	B 40 yds 4.0	10.50 behind H1
14	120	B 40 yds 5.0	1.25 in front H1
15	136	B 45 yds 1.0	12.75 in front H2
16	152	A 40 yds 7.0	9.50 behind H1
17	176	B 45 yds 3.0	6.75 behind H1
18	184	B 45 yds 4.0	8.0 behind H1
19	202	A 40 yds 6.0	0.0 behind H1
20	222	A 40 yds 6.0	10.0 behind H1
21	230	A 45 yds 0.0	4.0 behind H1
22	242	A 45 yds 0.0	12.0 in front H1

Name:CLARINET Usr.Lbl:15 3D*Lbl:..122
 File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 45 yds 4.0	8.0 in front H2
2	16	B 45 yds 4.0	8.0 in front H2
3	24	B 45 yds 4.0	8.0 in front H2
4	32	B 45 yds 4.0	8.0 in front H2
5	40	B 45 yds 4.0	10.0 behind H1
6	48	B 45 yds 2.0	6.0 behind H1
7	56	B 45 yds 0.0	7.0 behind H1
8	64	B 45 yds 0.0	7.0 behind H1
9	72	B 40 yds 2.0	8.25 behind H1
10	80	B 40 yds 2.0	8.25 behind H1
11	88	B 40 yds 6.0	8.0 behind H1
12	96	B 40 yds 2.0	11.0 behind H1
13	104	B 40 yds 2.0	11.0 behind H1
14	120	B 40 yds 4.0	3.50 in front H1
15	136	B 45 yds 0.0	12.25 in front H2
16	152	A 45 yds 0.0	12.0 behind H1
17	176	B 45 yds 2.0	7.50 behind H1
18	184	B 45 yds 4.0	12.0 behind H1
19	202	A 40 yds 6.0	2.0 behind H1
20	222	A 40 yds 6.0	12.0 behind H1
21	230	A 40 yds 4.0	4.0 behind H1
22	242	A 40 yds 4.0	8.0 in front H1

Name:TUBA Usr.Lbl:3 3D*Lbl:..31
 File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 0.0	12.0 behind H1
2	16	B 30 yds 0.0	12.0 behind H1
3	24	B 30 yds 0.0	12.0 behind H1
4	32	B 30 yds 0.0	12.0 behind H1
5	40	B 30 yds 0.0	12.0 behind H1
6	48	B 30 yds 0.0	12.0 behind H1
7	56	B 25 yds 0.0	14.0 in front H2
8	64	B 20 yds 6.0	7.0 behind H1
9	72	B 25 yds 0.0	14.0 in front H2
10	80	B 25 yds 1.0	8.25 in front H2
11	88	B 25 yds 2.0	2.75 in front H2
12	96	B 25 yds 0.0	4.0 in front H2
13	104	B 20 yds 5.0	2.75 in front H2
14	120	B 20 yds 0.0	12.0 behind H1
15	136	B 15 yds 2.0	6.0 in front H1
16	152	B 20 yds 4.0	10.0 behind Front
17	176	B 30 yds 4.0	13.75 behind Front
18	184	B 30 yds 1.0	12.75 in front H1
19	202	B 25 yds 6.0	11.75 behind Front
20	222	B 30 yds 0.0	12.0 behind Front
21	230	B 30 yds 4.0	12.0 in front H1
22	242	B 35 yds 7.0	11.75 in front H1

Name:TUBA Usr.Lbl:4 3D*Lbl:..32
 File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 0.0	8.0 behind H1
2	16	B 30 yds 0.0	8.0 behind H1
3	24	B 30 yds 0.0	8.0 behind H1
4	32	B 30 yds 0.0	8.0 behind H1
5	40	B 30 yds 0.0	8.0 behind H1
6	48	B 30 yds 0.0	8.0 behind H1
7	56	B 30 yds 0.0	14.0 in front H2
8	64	B 25 yds 2.0	7.0 behind H1
9	72	B 30 yds 0.0	14.0 in front H2
10	80	B 30 yds 0.0	7.0 in front H2
11	88	B 30 yds 0.0	0.0 in front H2
12	96	B 25 yds 0.0	0.0 in front H2
13	104	B 20 yds 0.0	0.0 in front H2
14	120	B 15 yds 0.0	12.0 behind H1
15	136	B 10 yds 2.0	6.0 in front H1
16	152	B 15 yds 4.0	6.0 behind Front
17	176	B 25 yds 6.0	12.75 behind Front
18	184	B 25 yds 3.0	13.75 in front H1
19	202	B 25 yds 5.0	5.75 behind Front
20	222	B 25 yds 0.0	12.0 behind Front
21	230	B 25 yds 6.0	12.0 in front H1
22	242	B 35 yds 2.0	12.0 in front H1

Name:TUBA Usr.Lbl:6 3D*Lbl:..34
 File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 4.0	12.0 in front H2
2	16	B 20 yds 4.0	12.0 in front H2
3	24	B 20 yds 4.0	12.0 in front H2
4	32	B 20 yds 4.0	12.0 in front H2
5	40	B 20 yds 4.0	12.0 in front H2
6	48	B 20 yds 4.0	12.0 in front H2
7	56	B 20 yds 4.0	10.0 behind H1
8	64	B 20 yds 4.0	5.0 behind H1
9	72	B 20 yds 4.0	10.0 behind H1
10	80	B 20 yds 5.0	11.25 in front H2
11	88	B 20 yds 7.0	4.50 in front H2
12	96	B 25 yds 0.0	6.0 in front H2
13	104	B 25 yds 0.0	4.50 in front H2
14	120	B 20 yds 4.0	12.0 behind H1
15	136	B 15 yds 6.0	6.0 in front H1
16	152	B 20 yds 7.0	12.0 behind Front
17	176	B 30 yds 7.0	14.0 in front H1
18	184	B 30 yds 4.0	12.50 in front H1
19	202	B 30 yds 0.0	14.0 in front H1
20	222	B 30 yds 4.0	12.0 behind Front
21	230	B 30 yds 7.0	12.0 in front H1
22	242	B 40 yds 1.0	11.50 in front H1

Name:TUBA Usr.Lbl:5 3D*Lbl:..33
 File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 4.0	8.0 in front H2
2	16	B 20 yds 4.0	8.0 in front H2
3	24	B 20 yds 4.0	8.0 in front H2
4	32	B 20 yds 4.0	8.0 in front H2
5	40	B 20 yds 4.0	8.0 in front H2
6	48	B 20 yds 4.0	8.0 in front H2
7	56	B 25 yds 4.0	10.0 behind H1
8	64	B 25 yds 0.0	5.0 behind H1
9	72	B 25 yds 4.0	10.0 behind H1
10	80	B 25 yds 4.0	9.75 in front H2
11	88	B 25 yds 5.0	1.25 in front H2
12	96	B 25 yds 0.0	2.0 in front H2
13	104	B 20 yds 3.0	1.25 in front H2
14	120	B 15 yds 4.0	12.0 behind H1
15	136	B 10 yds 6.0	6.0 in front H1
16	152	B 20 yds 0.0	8.0 behind Front
17	176	B 30 yds 1.0	13.50 behind Front
18	184	B 25 yds 6.0	13.25 in front H1
19	202	B 25 yds 5.0	8.75 behind Front
20	222	B 25 yds 4.0	12.0 behind Front
21	230	B 30 yds 1.0	12.0 in front H1
22	242	B 35 yds 4.0	12.0 in front H1

Name:TUBA Usr.Lbl:2 3D*Lbl:..30
 File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 15 yds 0.0	12.0 behind H1
2	16	B 15 yds 0.0	12.0 behind H1
3	24	B 15 yds 0.0	12.0 behind H1
4	32	B 15 yds 0.0	12.0 behind H1
5	40	B 15 yds 0.0	12.0 behind H1
6	48	B 15 yds 0.0	12.0 behind H1
7	56	B 20 yds 0.0	14.0 in front H2
8	64	B 20 yds 2.0	7.0 behind H1
9	72	B 20 yds 0.0	14.0 in front H2
10	80	B 20 yds 2.0	10.25 in front H2
11	88	B 20 yds 5.0	6.25 in front H2
12	96	B 25 yds 0.0	8.0 in front H2
13	104	B 25 yds 2.0	6.25 in front H2
14	120	B 25 yds 0.0	12.0 behind H1
15	136	B 20 yds 2.0	6.0 in front H1
16	152	B 25 yds 4.0	14.0 in front H1
17	176	B 35 yds 2.0	13.75 behind Front
18	184	B 30 yds 7.0	12.75 in front H1
19	202	B 30 yds 2.0	12.25 in front H1
20	222	B 35 yds 0.0	12.0 behind Front
21	230	B 35 yds 2.0	12.0 in front H1
22	242	B 40 yds 4.0	11.25 in front H1

File #1:2005 Grand Rapids Woods Opener.drl

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 4.0	12.0 behind H1
2	16	B 20 yds 4.0	12.0 behind H1
3	24	B 20 yds 4.0	12.0 behind H1
4	32	B 20 yds 4.0	12.0 behind H1
5	40	B 20 yds 4.0	12.0 behind H1
6	48	B 20 yds 4.0	12.0 behind H1
7	56	B 15 yds 4.0	10.0 behind H1
8	64	B 20 yds 0.0	5.0 behind H1
9	72	B 15 yds 4.0	10.0 behind H1
10	80	B 15 yds 7.0	13.25 in front H2
11	88	B 20 yds 3.0	8.25 in front H2
12	96	B 25 yds 0.0	10.0 in front H2
13	104	B 25 yds 5.0	8.25 in front H2
14	120	B 25 yds 4.0	12.0 behind H1
15	136	B 20 yds 6.0	6.0 in front H1
16	152	B 30 yds 0.0	12.0 in front H1
17	176	B 35 yds 4.0	12.75 behind Front
18	184	B 35 yds 1.0	13.75 in front H1
19	202	B 30 yds 5.0	11.0 in front H1
20	222	B 35 yds 4.0	12.0 behind Front
21	230	B 35 yds 5.0	12.0 in front H1
22	242	B 40 yds 6.0	10.50 in front H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 4.0	8.0 behind H1
2	16	B 20 yds 4.0	8.0 behind H1
3	24	B 20 yds 4.0	8.0 behind H1
4	32	B 20 yds 4.0	8.0 behind H1
5	40	B 20 yds 4.0	8.0 behind H1
6	48	B 20 yds 4.0	8.0 behind H1
7	56	B 15 yds 4.0	2.0 behind H1
8	64	B 20 yds 0.0	1.0 behind H1
9	72	B 15 yds 4.0	2.0 behind H1
10	80	B 15 yds 7.0	6.75 behind H1
11	88	B 20 yds 3.0	11.75 behind H1
12	96	B 25 yds 0.0	12.0 behind H1
13	104	B 25 yds 4.0	11.75 behind H1
14	120	B 25 yds 4.0	4.0 behind H1
15	136	B 25 yds 4.0	12.0 in front H1
16	152	B 30 yds 4.0	14.0 in front H1
17	176	B 30 yds 1.0	1.75 behind Front
18	184	B 25 yds 6.0	3.50 behind Front
19	202	B 35 yds 5.0	2.0 behind Front
20	222	B 40 yds 0.0	8.0 behind Front
21	230	B 35 yds 5.0	12.0 behind Front
22	242	B 40 yds 6.0	13.50 behind Front

File #1:2005 Grand Rapids Woods Opener.drl

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 15 yds 0.0	8.0 behind H1
2	16	B 15 yds 0.0	8.0 behind H1
3	24	B 15 yds 0.0	8.0 behind H1
4	32	B 15 yds 0.0	8.0 behind H1
5	40	B 15 yds 0.0	8.0 behind H1
6	48	B 15 yds 0.0	8.0 behind H1
7	56	B 15 yds 0.0	14.0 in front H2
8	64	B 15 yds 6.0	7.0 behind H1
9	72	B 15 yds 0.0	14.0 in front H2
10	80	B 15 yds 4.0	12.50 in front H2
11	88	B 20 yds 1.0	10.75 in front H2
12	96	B 25 yds 0.0	12.0 in front H2
13	104	B 25 yds 6.0	10.75 in front H2
14	120	B 30 yds 0.0	12.0 behind H1
15	136	B 25 yds 2.0	6.0 in front H1
16	152	B 30 yds 4.0	10.0 in front H1
17	176	B 35 yds 7.0	11.75 behind Front
18	184	B 35 yds 4.0	13.25 behind Front
19	202	B 35 yds 0.0	10.0 in front H1
20	222	B 40 yds 0.0	12.0 behind Front
21	230	B 40 yds 0.0	12.0 in front H1
22	242	B 45 yds 1.0	9.50 in front H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 15 yds 0.0	4.0 behind H1
2	16	B 15 yds 0.0	4.0 behind H1
3	24	B 15 yds 0.0	4.0 behind H1
4	32	B 15 yds 0.0	4.0 behind H1
5	40	B 15 yds 0.0	4.0 behind H1
6	48	B 15 yds 0.0	4.0 behind H1
7	56	B 20 yds 0.0	6.0 behind H1
8	64	B 20 yds 2.0	3.0 behind H1
9	72	B 20 yds 0.0	6.0 behind H1
10	80	B 20 yds 2.0	7.75 behind H1
11	88	B 20 yds 5.0	9.75 behind H1
12	96	B 25 yds 0.0	10.0 behind H1
13	104	B 25 yds 2.0	9.75 behind H1
14	120	B 25 yds 0.0	4.0 behind H1
15	136	B 25 yds 0.0	12.0 in front H1
16	152	B 30 yds 0.0	12.0 behind Front
17	176	B 25 yds 6.0	2.50 behind Front
18	184	B 25 yds 3.0	4.0 behind Front
19	202	B 35 yds 2.0	1.25 behind Front
20	222	B 35 yds 4.0	8.0 behind Front
21	230	B 35 yds 2.0	12.0 behind Front
22	242	B 40 yds 4.0	12.75 behind Front

File #1:2005 Grand Rapids Woods Opener.drl

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 15 yds 0.0	0.0 behind H1
2	16	B 15 yds 0.0	0.0 behind H1
3	24	B 15 yds 0.0	0.0 behind H1
4	32	B 15 yds 0.0	0.0 behind H1
5	40	B 15 yds 0.0	0.0 behind H1
6	48	B 15 yds 0.0	0.0 behind H1
7	56	B 15 yds 0.0	6.0 behind H1
8	64	B 15 yds 6.0	3.0 behind H1
9	72	B 15 yds 0.0	6.0 behind H1
10	80	B 15 yds 4.0	10.0 behind H1
11	88	B 20 yds 1.0	13.75 in front H2
12	96	B 25 yds 0.0	14.0 in front H2
13	104	B 25 yds 6.0	13.75 in front H2
14	120	B 30 yds 0.0	4.0 behind H1
15	136	B 30 yds 0.0	12.0 in front H1
16	152	B 35 yds 0.0	12.0 in front H1
17	176	B 30 yds 4.0	2.0 behind Front
18	184	B 30 yds 1.0	3.50 behind Front
19	202	B 40 yds 0.0	2.75 behind Front
20	222	B 40 yds 4.0	8.0 behind Front
21	230	B 40 yds 0.0	12.0 behind Front
22	242	B 45 yds 1.0	13.75 in front H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 4.0	4.0 behind H1
2	16	B 20 yds 4.0	4.0 behind H1
3	24	B 20 yds 4.0	4.0 behind H1
4	32	B 20 yds 4.0	4.0 behind H1
5	40	B 20 yds 4.0	4.0 behind H1
6	48	B 20 yds 4.0	4.0 behind H1
7	56	B 20 yds 4.0	2.0 behind H1
8	64	B 20 yds 4.0	1.0 behind H1
9	72	B 20 yds 4.0	2.0 behind H1
10	80	B 20 yds 6.0	5.0 behind H1
11	88	B 25 yds 0.0	8.0 behind H1
12	96	B 25 yds 0.0	8.0 behind H1
13	104	B 20 yds 7.0	8.0 behind H1
14	120	B 20 yds 4.0	4.0 behind H1
15	136	B 20 yds 4.0	12.0 in front H1
16	152	B 25 yds 3.0	10.0 behind Front
17	176	B 25 yds 4.0	4.0 behind Front
18	184	B 25 yds 1.0	5.50 behind Front
19	202	B 30 yds 7.0	0.75 behind Front
20	222	B 35 yds 0.0	8.0 behind Front
21	230	B 30 yds 7.0	12.0 behind Front
22	242	B 40 yds 1.0	12.50 behind Front

Name:BARITONE Usr.Lbl:3 3D*Lbl:..24
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 0.0	4.0 behind H1
2	16	B 30 yds 0.0	4.0 behind H1
3	24	B 30 yds 0.0	4.0 behind H1
4	32	B 30 yds 0.0	4.0 behind H1
5	40	B 30 yds 0.0	4.0 behind H1
6	48	B 30 yds 0.0	4.0 behind H1
7	56	B 25 yds 0.0	6.0 behind H1
8	64	B 20 yds 6.0	3.0 behind H1
9	72	B 25 yds 0.0	6.0 behind H1
10	80	B 25 yds 1.0	6.0 behind H1
11	88	B 25 yds 2.0	6.0 behind H1
12	96	B 25 yds 0.0	6.0 behind H1
13	104	B 20 yds 5.0	6.0 behind H1
14	120	B 20 yds 0.0	4.0 behind H1
15	136	B 20 yds 0.0	12.0 in front H1
16	152	B 25 yds 0.0	8.0 behind Front
17	176	B 25 yds 2.0	6.50 behind Front
18	184	B 20 yds 7.0	7.75 behind Front
19	202	B 30 yds 4.0	1.0 behind Front
20	222	B 30 yds 4.0	8.0 behind Front
21	230	B 30 yds 4.0	12.0 behind Front
22	242	B 35 yds 7.0	12.25 behind Front

Name:TENOR SAX Usr.Lbl:2 3D*Lbl:..18
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 0.0	8.0 in front H1
2	16	B 30 yds 0.0	8.0 in front H1
3	24	B 30 yds 0.0	8.0 in front H1
4	32	B 30 yds 0.0	8.0 in front H1
5	40	B 30 yds 0.0	8.0 in front H1
6	48	B 30 yds 0.0	8.0 in front H1
7	56	B 30 yds 0.0	2.0 in front H1
8	64	B 25 yds 2.0	1.0 in front H1
9	72	B 30 yds 0.0	2.0 in front H1
10	80	B 25 yds 7.0	1.75 in front H1
11	88	B 25 yds 6.0	1.50 in front H1
12	96	B 25 yds 0.0	0.0 behind H1
13	104	B 20 yds 1.0	1.50 in front H1
14	120	B 15 yds 0.0	4.0 in front H1
15	136	B 15 yds 6.0	10.0 behind Front
16	152	B 20 yds 4.0	2.0 behind Front
17	176	B 30 yds 6.0	2.0 behind Front
18	184	B 30 yds 3.0	3.50 behind Front
19	202	B 40 yds 2.0	4.0 behind Front
20	222	B 45 yds 3.0	8.0 behind Front
21	230	B 45 yds 1.0	12.0 behind Front
22	242	B 45 yds 7.0	10.50 in front H1

Name:BARITONE Usr.Lbl:5 3D*Lbl:..26
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 4.0	0.0 behind H1
2	16	B 20 yds 4.0	0.0 behind H1
3	24	B 20 yds 4.0	0.0 behind H1
4	32	B 20 yds 4.0	0.0 behind H1
5	40	B 20 yds 4.0	0.0 behind H1
6	48	B 20 yds 4.0	0.0 behind H1
7	56	B 25 yds 4.0	2.0 behind H1
8	64	B 25 yds 0.0	1.0 behind H1
9	72	B 25 yds 4.0	2.0 behind H1
10	80	B 25 yds 4.0	2.75 behind H1
11	88	B 25 yds 5.0	3.75 behind H1
12	96	B 25 yds 0.0	4.0 behind H1
13	104	B 20 yds 3.0	3.75 behind H1
14	120	B 15 yds 4.0	4.0 behind H1
15	136	B 15 yds 4.0	12.0 in front H1
16	152	B 20 yds 4.0	6.0 behind Front
17	176	B 25 yds 1.0	9.25 behind Front
18	184	B 20 yds 6.0	10.75 behind Front
19	202	B 30 yds 1.0	1.75 behind Front
20	222	B 30 yds 0.0	8.0 behind Front
21	230	B 30 yds 1.0	12.0 behind Front
22	242	B 35 yds 4.0	12.0 behind Front

Name:TENOR SAX Usr.Lbl:1 3D*Lbl:..17
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 4.0	4.0 in front H1
2	16	B 20 yds 4.0	4.0 in front H1
3	24	B 20 yds 4.0	4.0 in front H1
4	32	B 20 yds 4.0	4.0 in front H1
5	40	B 20 yds 4.0	4.0 in front H1
6	48	B 20 yds 4.0	4.0 in front H1
7	56	B 25 yds 4.0	6.0 in front H1
8	64	B 25 yds 0.0	3.0 in front H1
9	72	B 25 yds 4.0	6.0 in front H1
10	80	B 25 yds 4.0	5.0 in front H1
11	88	B 25 yds 4.0	4.0 in front H1
12	96	B 25 yds 0.0	2.0 in front H1
13	104	B 20 yds 3.0	4.0 in front H1
14	120	B 15 yds 4.0	4.0 in front H1
15	136	B 20 yds 2.0	10.0 behind Front
16	152	B 25 yds 0.0	4.0 behind Front
17	176	B 35 yds 4.0	2.75 behind Front
18	184	B 35 yds 1.0	4.50 behind Front
19	202	B 45 yds 0.0	6.75 behind Front
20	222	B 45 yds 6.0	8.0 behind Front
21	230	B 45 yds 4.0	12.0 behind Front
22	242	A 45 yds 5.0	9.0 in front H1

Name:BARITONE Usr.Lbl:4 3D*Lbl:..25
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 0.0	0.0 behind H1
2	16	B 30 yds 0.0	0.0 behind H1
3	24	B 30 yds 0.0	0.0 behind H1
4	32	B 30 yds 0.0	0.0 behind H1
5	40	B 30 yds 0.0	0.0 behind H1
6	48	B 30 yds 0.0	0.0 behind H1
7	56	B 30 yds 0.0	6.0 behind H1
8	64	B 25 yds 2.0	3.0 behind H1
9	72	B 30 yds 0.0	6.0 behind H1
10	80	B 25 yds 7.0	3.75 behind H1
11	88	B 25 yds 6.0	1.50 behind H1
12	96	B 25 yds 0.0	2.0 behind H1
13	104	B 20 yds 1.0	1.50 behind H1
14	120	B 15 yds 0.0	4.0 behind H1
15	136	B 15 yds 0.0	12.0 in front H1
16	152	B 20 yds 0.0	4.0 behind Front
17	176	B 25 yds 3.0	11.50 behind Front
18	184	B 25 yds 0.0	13.0 behind Front
19	202	B 25 yds 6.0	3.25 behind Front
20	222	B 25 yds 4.0	8.0 behind Front
21	230	B 25 yds 6.0	12.0 behind Front
22	242	B 35 yds 2.0	12.0 behind Front

Name:TENOR SAX Usr.Lbl:3 3D*Lbl:..19
File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 0.0	4.0 in front H1
2	16	B 30 yds 0.0	4.0 in front H1
3	24	B 30 yds 0.0	4.0 in front H1
4	32	B 30 yds 0.0	4.0 in front H1
5	40	B 30 yds 0.0	4.0 in front H1
6	48	B 30 yds 0.0	4.0 in front H1
7	56	B 25 yds 0.0	2.0 in front H1
8	64	B 20 yds 6.0	1.0 in front H1
9	72	B 25 yds 0.0	2.0 in front H1
10	80	B 25 yds 1.0	4.0 in front H1
11	88	B 25 yds 2.0	6.0 in front H1
12	96	B 25 yds 0.0	4.0 in front H1
13	104	B 20 yds 5.0	6.0 in front H1
14	120	B 20 yds 0.0	4.0 in front H1
15	136	B 20 yds 6.0	10.0 behind Front
16	152	B 25 yds 4.0	6.0 behind Front
17	176	B 40 yds 2.0	4.75 behind Front
18	184	B 35 yds 7.0	6.50 behind Front
19	202	B 45 yds 5.0	9.75 behind Front
20	222	A 45 yds 7.0	8.0 behind Front
21	230	B 45 yds 7.0	12.0 behind Front
22	242	A 45 yds 3.0	7.50 in front H1

Name:TENOR SAX Usr.Lbl:5 3D™Lbl:..44

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 4.0	8.0 in front H1
2	16	B 20 yds 4.0	8.0 in front H1
3	24	B 20 yds 4.0	8.0 in front H1
4	32	B 20 yds 4.0	8.0 in front H1
5	40	B 20 yds 4.0	8.0 in front H1
6	48	B 20 yds 4.0	8.0 in front H1
7	56	B 20 yds 4.0	6.0 in front H1
8	64	B 20 yds 4.0	3.0 in front H1
9	72	B 20 yds 4.0	6.0 in front H1
10	80	B 20 yds 6.0	7.0 in front H1
11	88	B 25 yds 0.0	8.0 in front H1
12	96	B 25 yds 0.0	6.0 in front H1
13	104	B 25 yds 0.0	8.0 in front H1
14	120	B 20 yds 4.0	4.0 in front H1
15	136	B 25 yds 2.0	10.0 behind Front
16	152	B 25 yds 7.0	8.0 behind Front
17	176	B 40 yds 7.0	7.75 behind Front
18	184	B 40 yds 4.0	9.25 behind Front
19	202	A 45 yds 5.0	13.25 behind Front
20	222	A 45 yds 4.0	8.0 behind Front
21	230	A 45 yds 6.0	12.0 behind Front
22	242	A 45 yds 1.0	5.75 in front H1

Name:TENOR SAX Usr.Lbl:4 3D™Lbl:..20

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 15 yds 0.0	4.0 in front H1
2	16	B 15 yds 0.0	4.0 in front H1
3	24	B 15 yds 0.0	4.0 in front H1
4	32	B 15 yds 0.0	4.0 in front H1
5	40	B 15 yds 0.0	4.0 in front H1
6	48	B 15 yds 0.0	4.0 in front H1
7	56	B 20 yds 0.0	2.0 in front H1
8	64	B 20 yds 2.0	1.0 in front H1
9	72	B 20 yds 0.0	2.0 in front H1
10	80	B 20 yds 2.0	5.75 in front H1
11	88	B 20 yds 5.0	9.75 in front H1
12	96	B 25 yds 0.0	8.0 in front H1
13	104	B 25 yds 2.0	9.75 in front H1
14	120	B 25 yds 0.0	4.0 in front H1
15	136	B 25 yds 6.0	10.0 behind Front
16	152	B 30 yds 4.0	10.0 behind Front
17	176	B 45 yds 4.0	11.50 behind Front
18	184	B 45 yds 1.0	13.0 behind Front
19	202	A 45 yds 0.0	11.75 in front H1
20	222	A 45 yds 1.0	8.0 behind Front
21	230	A 45 yds 3.0	12.0 behind Front
22	242	A 45 yds 0.0	4.0 in front H1

Name:TROMBONE Usr.Lbl:9 3D™Lbl:..43

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 4.0	12.0 in front H1
2	16	B 20 yds 4.0	12.0 in front H1
3	24	B 20 yds 4.0	12.0 in front H1
4	32	B 20 yds 4.0	12.0 in front H1
5	40	B 20 yds 4.0	12.0 in front H1
6	48	B 20 yds 4.0	12.0 in front H1
7	56	B 15 yds 4.0	6.0 in front H1
8	64	B 20 yds 0.0	3.0 in front H1
9	72	B 15 yds 4.0	6.0 in front H1
10	80	B 15 yds 7.0	8.75 in front H1
11	88	B 20 yds 3.0	11.75 in front H1
12	96	B 25 yds 0.0	10.0 in front H1
13	104	B 25 yds 4.0	11.75 in front H1
14	120	B 25 yds 4.0	4.0 in front H1
15	136	B 30 yds 2.0	10.0 behind Front
16	152	B 35 yds 0.0	12.0 behind Front
17	176	B 45 yds 7.0	12.0 in front H1
18	184	B 45 yds 4.0	8.0 in front H1
19	202	A 40 yds 6.0	8.0 in front H1
20	222	A 45 yds 6.0	10.0 in front H1
21	230	B 45 yds 4.0	12.0 in front H1
22	242	A 45 yds 5.0	5.0 in front H1

Name:TROMBONE Usr.Lbl:1 3D™Lbl:..21

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 15 yds 0.0	8.0 in front H1
2	16	B 15 yds 0.0	8.0 in front H1
3	24	B 15 yds 0.0	8.0 in front H1
4	32	B 15 yds 0.0	8.0 in front H1
5	40	B 15 yds 0.0	8.0 in front H1
6	48	B 15 yds 0.0	8.0 in front H1
7	56	B 15 yds 0.0	2.0 in front H1
8	64	B 15 yds 6.0	1.0 in front H1
9	72	B 15 yds 0.0	2.0 in front H1
10	80	B 15 yds 4.0	8.25 in front H1
11	88	B 20 yds 1.0	13.75 behind Front
12	96	B 25 yds 0.0	12.0 in front H1
13	104	B 25 yds 6.0	13.75 behind Front
14	120	B 30 yds 0.0	4.0 in front H1
15	136	B 30 yds 6.0	10.0 behind Front
16	152	B 35 yds 4.0	14.0 in front H1
17	176	A 45 yds 5.0	6.75 in front H1
18	184	B 50 yds 0.0	6.0 in front H1
19	202	A 40 yds 4.0	7.0 in front H1
20	222	A 45 yds 4.0	8.0 in front H1
21	230	B 45 yds 7.0	12.0 in front H1
22	242	A 45 yds 3.0	3.50 in front H1

Name:TROMBONE Usr.Lbl:2 3D™Lbl:..36

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 15 yds 0.0	12.0 behind Front
2	16	B 15 yds 0.0	12.0 behind Front
3	24	B 15 yds 0.0	12.0 behind Front
4	32	B 15 yds 0.0	12.0 behind Front
5	40	B 15 yds 0.0	12.0 behind Front
6	48	B 15 yds 0.0	12.0 behind Front
7	56	B 15 yds 0.0	10.0 in front H1
8	64	B 15 yds 6.0	5.0 in front H1
9	72	B 15 yds 0.0	10.0 in front H1
10	80	B 15 yds 4.0	13.75 in front H1
11	88	B 20 yds 1.0	10.75 behind Front
12	96	B 25 yds 0.0	14.0 in front H1
13	104	B 25 yds 6.0	10.75 behind Front
14	120	B 30 yds 0.0	12.0 in front H1
15	136	B 35 yds 4.0	4.0 behind Front
16	152	B 40 yds 0.0	12.0 behind Front
17	176	A 45 yds 4.0	4.0 in front H1
18	184	B 45 yds 4.0	0.0 behind H1
19	202	A 40 yds 6.0	4.0 in front H1
20	222	A 45 yds 0.0	4.0 in front H1
21	230	A 45 yds 3.0	12.0 in front H1
22	242	A 45 yds 0.0	0.0 behind H1

Name:TROMBONE Usr.Lbl:8 3D™Lbl:..42

File #1:2005 Grand Rapids Woods Opener.drl

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 4.0	12.0 behind Front
2	16	B 20 yds 4.0	12.0 behind Front
3	24	B 20 yds 4.0	12.0 behind Front
4	32	B 20 yds 4.0	12.0 behind Front
5	40	B 20 yds 4.0	12.0 behind Front
6	48	B 20 yds 4.0	12.0 behind Front
7	56	B 15 yds 4.0	14.0 in front H1
8	64	B 20 yds 0.0	7.0 in front H1
9	72	B 15 yds 4.0	14.0 in front H1
10	80	B 15 yds 7.0	11.0 behind Front
11	88	B 20 yds 3.0	8.25 behind Front
12	96	B 25 yds 0.0	12.0 behind Front
13	104	B 25 yds 5.0	8.25 behind Front
14	120	B 25 yds 4.0	12.0 in front H1
15	136	B 35 yds 0.0	4.0 behind Front
16	152	B 35 yds 4.0	10.0 behind Front
17	176	A 45 yds 6.0	9.50 in front H1
18	184	B 45 yds 4.0	4.0 in front H1
19	202	A 40 yds 6.0	6.0 in front H1
20	222	A 45 yds 2.0	6.0 in front H1
21	230	A 45 yds 6.0	12.0 in front H1
22	242	A 45 yds 1.0	1.75 in front H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 15 yds 0.0	12.0 in front H1
2	16	B 15 yds 0.0	12.0 in front H1
3	24	B 15 yds 0.0	12.0 in front H1
4	32	B 15 yds 0.0	12.0 in front H1
5	40	B 15 yds 0.0	12.0 in front H1
6	48	B 15 yds 0.0	12.0 in front H1
7	56	B 20 yds 0.0	10.0 in front H1
8	64	B 20 yds 2.0	5.0 in front H1
9	72	B 20 yds 0.0	10.0 in front H1
10	80	B 20 yds 2.0	12.0 behind Front
11	88	B 20 yds 5.0	6.25 behind Front
12	96	B 25 yds 0.0	10.0 behind Front
13	104	B 25 yds 2.0	6.25 behind Front
14	120	B 25 yds 0.0	12.0 in front H1
15	136	B 30 yds 4.0	4.0 behind Front
16	152	B 35 yds 0.0	8.0 behind Front
17	176	B 45 yds 6.0	13.75 behind Front
18	184	B 45 yds 4.0	12.0 in front H1
19	202	A 40 yds 6.0	10.0 in front H1
20	222	B 50 yds 0.0	12.0 in front H1
21	230	B 45 yds 1.0	12.0 in front H1
22	242	B 50 yds 0.0	6.50 in front H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 4.0	8.0 behind Front
2	16	B 20 yds 4.0	8.0 behind Front
3	24	B 20 yds 4.0	8.0 behind Front
4	32	B 20 yds 4.0	8.0 behind Front
5	40	B 20 yds 4.0	8.0 behind Front
6	48	B 20 yds 4.0	8.0 behind Front
7	56	B 20 yds 4.0	14.0 in front H1
8	64	B 20 yds 4.0	7.0 in front H1
9	72	B 20 yds 4.0	14.0 in front H1
10	80	B 20 yds 5.0	9.25 behind Front
11	88	B 20 yds 7.0	4.25 behind Front
12	96	B 25 yds 0.0	8.0 behind Front
13	104	B 25 yds 0.0	4.25 behind Front
14	120	B 20 yds 4.0	12.0 in front H1
15	136	B 30 yds 0.0	4.0 behind Front
16	152	B 30 yds 3.0	6.0 behind Front
17	176	B 45 yds 1.0	9.50 behind Front
18	184	B 40 yds 6.0	10.75 behind Front
19	202	A 45 yds 3.0	13.25 in front H1
20	222	B 45 yds 6.0	14.0 in front H1
21	230	B 40 yds 6.0	12.0 in front H1
22	242	B 45 yds 5.0	7.75 in front H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 0.0	12.0 in front H1
2	16	B 30 yds 0.0	12.0 in front H1
3	24	B 30 yds 0.0	12.0 in front H1
4	32	B 30 yds 0.0	12.0 in front H1
5	40	B 30 yds 0.0	12.0 in front H1
6	48	B 30 yds 0.0	12.0 in front H1
7	56	B 25 yds 0.0	10.0 in front H1
8	64	B 20 yds 6.0	5.0 in front H1
9	72	B 25 yds 0.0	10.0 in front H1
10	80	B 25 yds 1.0	10.25 behind Front
11	88	B 25 yds 2.0	2.50 behind Front
12	96	B 20 yds 7.0	6.0 behind Front
13	104	B 20 yds 5.0	2.50 behind Front
14	120	B 20 yds 0.0	12.0 in front H1
15	136	B 25 yds 4.0	4.0 behind Front
16	152	B 30 yds 0.0	4.0 behind Front
17	176	B 40 yds 4.0	6.0 behind Front
18	184	B 40 yds 1.0	7.50 behind Front
19	202	B 50 yds 0.0	11.50 behind Front
20	222	B 45 yds 4.0	12.0 behind Front
21	230	B 40 yds 3.0	12.0 in front H1
22	242	B 45 yds 3.0	8.75 in front H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 20 yds 4.0	4.0 behind Front
2	16	B 20 yds 4.0	4.0 behind Front
3	24	B 20 yds 4.0	4.0 behind Front
4	32	B 20 yds 4.0	4.0 behind Front
5	40	B 20 yds 4.0	4.0 behind Front
6	48	B 20 yds 4.0	4.0 behind Front
7	56	B 25 yds 4.0	14.0 in front H1
8	64	B 25 yds 0.0	7.0 in front H1
9	72	B 25 yds 4.0	14.0 in front H1
10	80	B 25 yds 4.0	7.75 behind Front
11	88	B 25 yds 5.0	1.25 behind Front
12	96	B 20 yds 7.0	4.0 behind Front
13	104	B 20 yds 2.0	1.25 behind Front
14	120	B 15 yds 4.0	12.0 in front H1
15	136	B 25 yds 0.0	4.0 behind Front
16	152	B 25 yds 4.0	2.0 behind Front
17	176	B 35 yds 7.0	3.75 behind Front
18	184	B 35 yds 4.0	5.25 behind Front
19	202	B 45 yds 2.0	8.25 behind Front
20	222	B 45 yds 2.0	10.0 behind Front
21	230	B 40 yds 6.0	12.0 behind Front
22	242	B 45 yds 5.0	11.75 in front H1

Pg	Count	End-to-End	Side-to-Side
1	0	B 30 yds 0.0	12.0 behind Front
2	16	B 30 yds 0.0	12.0 behind Front
3	24	B 30 yds 0.0	12.0 behind Front
4	32	B 30 yds 0.0	12.0 behind Front
5	40	B 30 yds 0.0	12.0 behind Front
6	48	B 30 yds 0.0	12.0 behind Front
7	56	B 30 yds 0.0	10.0 in front H1
8	64	B 25 yds 2.0	5.0 in front H1
9	72	B 30 yds 0.0	10.0 in front H1
10	80	B 30 yds 0.0	9.0 behind Front
11	88	B 30 yds 0.0	0.0 in front Front
12	96	B 25 yds 0.0	2.0 behind Front
13	104	B 20 yds 0.0	0.0 in front Front
14	120	B 15 yds 0.0	12.0 in front H1
15	136	B 20 yds 4.0	4.0 behind Front
16	152	B 25 yds 0.0	0.0 in front Front
17	176	B 35 yds 1.0	2.50 behind Front
18	184	B 30 yds 6.0	3.75 behind Front
19	202	B 40 yds 5.0	5.50 behind Front
20	222	B 45 yds 0.0	8.0 behind Front
21	230	B 40 yds 3.0	12.0 behind Front
22	242	B 45 yds 3.0	12.75 in front H1

